

GENERAL NOTES:

1. LEVELS IN TERMS OF MEAN SEA LEVEL (AUCKLAND VERTICAL DATUM 1946)
2. COORDINATES IN TERMS OF NZGD 2000 (MT EDEN CIRCUIT)

ABBREVIATIONS

- SS WASTEWATER
- SW STORMWATER
- MH MANHOLE
- CP CESSPIT
- LL LID LEVEL
- IL INVERT LEVEL
- EX EXISTING
- PR PROPOSED



LEGEND:

EXISTING

- 250mm --- EXISTING CONTOURS
- 50mm --- EXISTING CONTOURS
- 100.10 EXISTING SPOT LEVEL

PROPOSED


- 250mm --- EXTENT OF EARTHWORKS
- 50mm --- PROPOSED CONTOURS

LEGEND:

RETAINING WALLS

- --- ○ RETAINING WALL

Original Size:
VIEWPORT
5.0 0 5.0 10.0 15.0 20.0 25.0



No.	Revision Details	Date
	(Current Revision Date : 1/12/2020)	

LAST SAVED BY: ASHLEY

Design AW
Survey
Drawn MK
Checked ML
Date 15/12/2020
Scale 1:500 (A1) 1:1000 (A3)
CAD Filename 12582-01-240.dwg
© Copyright 2020 Airey Consultants Ltd



Job Title:
**BAYSWATER MARINA HOLDINGS LTD
BAYSWATER MARITIME PRECINCT
21 SIR PETER BLAKE PARADE
BAYSWATER
AUCKLAND**



Drawing Title:
**PROPOSED RETAINING WALL
OVERVIEW**

File No.
12582-01

Rev.
B


Dwg. No.
240

GENERAL NOTES:


- LEVELS IN TERMS OF MEAN SEA LEVEL (AUCKLAND VERTICAL DATUM 1946)
- COORDINATES IN TERMS OF NZGD 2000 (MT EDEN CIRCUIT)

ABBREVIATIONS

- SS WASTEWATER
- SW STORMWATER
- MH MANHOLE
- CP CESSPIT
- LL LID LEVEL
- IL INVERT LEVEL
- EX EXISTING
- PR PROPOSED



Original Size: 25 0 2.5 5.0 7.5 10.0 12.5
VIEWPORT



LEGEND:

- PROPOSED**
- 250mm — PROPOSED CONTOURS
 - - - 50mm - - - PROPOSED CONTOURS
- RETAINING WALL**
- 12.34 RETAINED HEIGHT (m)
 - 12.34 LEVEL AT TOP OF WALL (m)
 - 12.34 LEVEL AT BOTTOM OF WALL (m)
- RETAINING WALLS**
- RETAINING WALL

Design AW
Survey
Drawn MK
Checked ML
Date 15/12/2020
Scale 1:250 (A1) 1:500 (A3)
CAD Filename 12582-01-240.dwg
© Copyright 2020 Airey Consultants Ltd



Job Title
BAYSWATER MARINA HOLDINGS LTD
BAYSWATER MARITIME PRECINCT
21 SIR PETER BLAKE PARADE
BAYSWATER
AUCKLAND



Drawing Title
PROPOSED RETAINING WALL 1 OF 4

File No. **12582-01**
Rev. **B**
Dwg. No. **241**

No.	Revision Details	Date
	(Current Revision Date : 1/12/2020)	


LAST SAVED BY: ASHLEY

GENERAL NOTES:

- LEVELS IN TERMS OF MEAN SEA LEVEL (AUCKLAND VERTICAL DATUM 1946)
- COORDINATES IN TERMS OF NZGD 2000 (MT EDEN CIRCUIT)

ABBREVIATIONS

SS WASTEWATER
 SW STORMWATER
 MH MANHOLE
 CP CESSPIT
 LL LID LEVEL
 IL INVERT LEVEL
 EX EXISTING
 PR PROPOSED



No.	Revision Details	Date

LEGEND:

PROPOSED
 --- 250mm --- PROPOSED CONTOURS
 --- 50mm --- PROPOSED CONTOURS

RETAINING WALL
 [12.34] RETAINED HEIGHT (m)
 12.34 LEVEL AT TOP OF WALL (m)
 12.34 LEVEL AT BOTTOM OF WALL (m)

RETAINING WALLS
 --- RETAINING WALL

Design AW
 Survey
 Drawn MK
 Checked ML
 Date 15/12/2020
 Scale 1:250 (A1) 1:500 (A3)
 CAD Filename 12582-01-240.dwg
 © Copyright 2020 Airey Consultants Ltd

Job Title
BAYSWATER MARINA HOLDINGS LTD
BAYSWATER MARITIME PRECINCT
21 SIR PETER BLAKE PARADE
BAYSWATER
AUCKLAND




Drawing Title PROPOSED RETAINING WALL 2 OF 4		
File No. 12582-01	Rev. B	Dwg. No. 242

GENERAL NOTES:


- LEVELS IN TERMS OF MEAN SEA LEVEL (AUCKLAND VERTICAL DATUM 1946)
- COORDINATES IN TERMS OF NZGD 2000 (MT EDEN CIRCUIT)

ABBREVIATIONS

SS WASTEWATER
 SW STORMWATER
 MH MANHOLE
 CP CESSPIT
 LL LID LEVEL
 IL INVERT LEVEL
 EX EXISTING
 PR PROPOSED



Original Size: 25 0 2.5 5.0 7.5 10.0 12.5
 VIEWPORT



No.	Revision Details	Date

LEGEND:

PROPOSED

— 250mm — PROPOSED CONTOURS
 - - - 50mm - - - PROPOSED CONTOURS

RETAINING WALL

12.34 RETAINED HEIGHT (m)

12.34 LEVEL AT TOP OF WALL (m)
 12.34 LEVEL AT BOTTOM OF WALL (m)

RETAINING WALLS

—○— RETAINING WALL


Design AW
 Survey
 Drawn MK
 Checked ML
 Date 15/12/2020
 Scale 1:250 (A1) 1:500 (A3)
 CAD Filename 12582-01-240.dwg
 © Copyright 2020 Airey Consultants Ltd




Job Title
BAYSWATER MARINA HOLDINGS LTD
BAYSWATER MARITIME PRECINCT
21 SIR PETER BLAKE PARADE
BAYSWATER
AUCKLAND



Drawing Title PROPOSED RETAINING WALL 3 OF 4		
File No. 12582-01	Rev. B	Dwg. No. 243



Original Size:
1:250
1:500 (A3)



ROADING & PAVEMENT NOTES:

1. THESE DRAWINGS SHOULD BE READ IN CONJUNCTION WITH THE HARD SURFACE LANDSCAPING DRAWINGS PREPARED BY BOFFA MISKELL.
2. MINIMUM CONCRETE STRENGTHS AT 28 DAYS SHALL BE AS FOLLOWS:
 - 25MPa FOR VEHICLE PAVEMENTS
 - 20MPa FOR PEDESTRIAN PAVEMENTS
3. AFTER BULK EXCAVATION HAS BEEN COMPLETED THE PAVEMENT SUBGRADE SURFACE SHOULD BE PROOF ROLLED. ANY SOFT, WET OR UNSUITABLE MATERIALS SHALL BE REMOVED AND REPLACED WITH AN APPROVED GRANULAR MATERIAL (MIN. CBR 10).
4. RECYCLED MATERIALS SHALL BE UTILISED IN PAVEMENT CONSTRUCTION AS MUCH AS PRACTICABLE. EXAMPLES INCLUDE CRUSHED CONCRETE IN PLACE OF GAP20, GAP40 & GAP65.

No.	Revision Details	Date
B	RC S92 ISSUE	20/05/21
A	ISSUED FOR RESOURCE CONSENT	19/02/21
(Current Revision Date : 27/04/2021)		

Design	AW
Survey	
Drawn	MK
Checked	ML
Date	27/04/2021
Scale	1:250 (A1) 1:500 (A3)
CAD Filename	12582-01-300.dwg
© Copyright 2021 Airey Consultants Ltd	

Job Title:
BAYSWATER MARINA HOLDINGS LTD
BAYSWATER MARITIME PRECINCT
21 SIR PETER BLAKE PARADE
BAYSWATER
AUCKLAND



Drawing Title: PROPOSED ROADING 2 OF 4		
File No. 12582-01-300	Rev. B	Dwg. No. 302