

**Eastern Busway Alliance – Application for Eastern Busway 2 (EB2)**

To Auckland Council,

I, *Auckland Transport, 20 Viaduct Harbour, Auckland*, apply for the following type(s) of resource consent:

- *Under s9 of the Resource Management Act, land use consent is sought for vegetation alteration or removal that does not comply with the relevant standards, and earthworks greater than 10,000m<sup>2</sup> up to 50,000m<sup>2</sup> where land has a slope less than 10 degrees outside the Sediment Control Protection Area other than for maintenance, repair, renewal, minor infrastructure upgrading.*
- *Under s12 of the Resource Management Act, coastal permit is sought for mangrove removal not otherwise provided for, and infrastructure coastal marine area structures not otherwise provided for.*
- *Under s15 of the Resource Management Act, discharge permit is sought for discharges of contaminants into air, or water, or onto or into land not meeting the relevant permitted activity standards.*
- *Under Regulation 11 of the National Environmental Standard for Assessing and Managing Contaminants in Soil to Protect Human Health, consent is sought for works occurring on a HAIL site without prior preparation of a detailed site investigation.*
- *Under Regulation 45 of the National Environmental Standard for Freshwater, consent is sought for vegetation clearance within or within a 10m setback from a natural wetland (coastal) for the purpose of constructing specified infrastructure.*
- *Under Regulation 45 of the National Environmental Standard for Freshwater, consent is sought for earthworks within or within a 10m setback from a natural wetland (coastal) for the purpose of constructing specified infrastructure.*
- *Under Regulation 47 of the National Environmental Standard for Freshwater, consent is sought for discharge of water within or within a 100m setback from a natural wetland (coastal) for the purpose of maintaining or operating specified infrastructure and other infrastructure.*

The activity to which the application relates (the **proposed activity**) is as follows:

*construction and operation of Eastern Busway 2 at Pakuranga Town Centre, including the Busway, Reeves Road Flyover, and Pakuranga Bus Station.*

The site at which the proposed activity is to occur is as follows:

*Various – Legal Road including South-Eastern Arterial, Ti Rakau Drive, Reeves Road, Cortina Place, William Roberts Road, Pakuranga Road,*

*Open Space – Bus Stop Reserve, Paul Place Reserve, Ti Rakau Park,*

*School – St Kentigern College,*

*Refer Section 6.3 of the AEE for the full schedule of properties, titled ‘Property Information and Zoning’.*

The full name and address of each owner or occupier (other than the applicant) of the site to which the application relates are as follows:

*Various – Auckland Council and private ownership.*



Refer Section 6.3 of the AEE for the full schedule of properties, titled 'Property Information and Zoning', and Appendix 23 titled 'Record of Titles'.

The other activities that are part of the proposal to which the application relates are as follows:

- *Permitted activity for the construction, operation, use, maintenance, and repair of road network activities,*
- *Permitted activity for the transportation of people, goods and services,*
- *Permitted activity for public amenities,*
- *Permitted activity for pest plant removal,*
- *Permitted activity for tree trimming or alteration,*
- *Permitted activity for works within the protected root zones that comply with the relevant standard,*
- *Permitted activity for tree alteration or removal of any tree that are less than 4m in height or less than 400mm in girth,*
- *Permitted activity for earthworks for maintenance, repair, renewal, minor infrastructure upgrading and service connections,*
- *Permitted activity for earthworks up to 2500m<sup>2</sup> other than for maintenance, repair, renewal, minor infrastructure upgrading,*
- *Permitted activity for earthworks up to 2500m<sup>3</sup> other than for maintenance, repair, renewal, minor infrastructure upgrading,*
- *Permitted activity for construction, operation, maintenance, renewal, and repair of road network activities within the legal road or formation width within overland flow path and on land which may be subject to instability,*
- *Permitted activity for dewatering or groundwater level control associated with a groundwater diversion,*
- *Permitted activity for diversion of groundwater caused by any excavation (including trench) or tunnel,*
- *Permitted activity for discharge and diversion of stormwater,*
- *Permitted activity for activities that comply with all the relevant noise and vibration standards,*
- *Permitted activity for activities that comply with all the relevant lighting standards,*
- *Permitted activity for network utilities and electricity generation which connects to the national grid within the National Grid Yard (Compromised and Uncompromised),*
- *Permitted activity for any structures that do not meet the definition of Building in Chapter J within the Nation Grid Yard (Uncompromised),*
- *Permitted activity for land disturbance that complies with the relevant standards within the National Grid,*
- *Permitted activity for network utilities and electricity generation which connects to the national grid within the National Grid Substation Corridor,*
- *Permitted activity for roading activities, network utilities and electricity generation which connects to the national grid that are above ground or comply with the relevant standard,*
- *Permitted activity for activities not provided for in the Business Town Centre zone authorised by the Notice of Requirement,*
- *Permitted activity for activities meeting the air quality permitted activity standards and are not provided for by any other rule,*
- *Permitted activity for temporary activities associated with building or construction, (including structures and buildings that are accessory activities) for the duration of the project, or up to 24 months, whichever is the lesser, and*



- *Permitted activity for the discharge of contaminants from an existing or new industrial or trade activity area listed as moderate risk in Table E33.4.3.*

No additional resource consents are needed for the proposal to which this application relates.

I attach an assessment of the proposed activity's effect on the environment that—

- (a) includes the information required by clause 6 of Schedule 4 of the Resource Management Act 1991; and
- (b) addresses the matters specified in clause 7 of Schedule 4 of the Resource Management Act 1991; and
- (c) includes such detail as corresponds with the scale and significance of the effects that the activity may have on the environment.

I attach an assessment of the proposed activity against the matters set out in Part 2 of the Resource Management Act 1991.

I attach an assessment of the proposed activity against any relevant provisions of a document referred to in section 104(1)(b) of the Resource Management Act 1991, including the information required by clause 2(2) of Schedule 4 of that Act.

I attach an assessment of the proposed activity against the resource management matters set out in *Eastern Busway Project, Eastern Busway 2, Assessment of Effects on the Environment, July 2022, Document reference EB234-1-PL-RP-Z2-000017.*

I attach the following further information required to be included in this application by the district plan, the regional plan, the Resource Management Act 1991, or any regulations made under that Act.

**Contact details**

Electronic address for service of applicant: [Sonja.Lister@easternbusway.nz](mailto:Sonja.Lister@easternbusway.nz)

Telephone: 021 964 104

Postal address: *Private Bag 92250, Auckland 1142*

Contact person: Sonja Lister