



28 September 2016

Auckland Council Private Bag 92300 Victoria Street West AUCKLAND 1142

Attention: Stephen Town, Chief Executive

Dear Stephen

PROPOSED AUCKLAND UNITARY PLAN: DECISION OF MINISTER OF EDUCATION IN ACCORDANCE WITH S151 (2) OF THE LOCAL GOVERNMENT (AUCKLAND TRANSITIONAL PROVISIONS) ACT 2010

Thank you for your e-letter dated 19th August 2016, containing the Auckland Council's (the Council) decisions and recommendations as set out in the Auckland Council's *Decisions Report 19 August 2016*, as they relate to the "Notice of Requirement by the Minister of Education regarding the inclusion of existing Designations in the Auckland Unitary Plan", dated 28 August 2012 (Notice of Requirement).

Pursuant to s151 (2) of the Act, the Minister of Education accepts in their entirety, the Council's recommendation set out in "7. Decisions of Auckland Council, and 44. Council decisions relating to Panel report entitled "Report to Auckland Council Hearing Topic 074 (Designations), July 2016".

Particular reference is made to the specific recommendations included in Attachment E, where the decision of the Minister is to:

- Accept in its entirety, recommendation no. 34 to confirm the Minister of Education's Notice of Requirement for <u>existing designations with modifications and general submissions</u> as per the Schedule included in Annexure 1 attached to this decision.
- Accepts in its entirety, recommendation no. 35 to confirm the Minister of Education's Notice of Requirement for modifications to the existing designations as per the Schedule, Text Amendments and Map Amendments contained in Annexure 2 attached to this decision.
- 3. Accepts in its entirety, recommendation no. 36 to confirm the Minister of Education's Notice of Requirement for the <u>modifications to the designations and submissions from the Minister of Education and Auckland Council</u> included in the Schedule, Text Amendments and Map Amendments contained in Annexure 3 attached to this decision.

The reasons for this decision are that it is appropriate to confirm the designations as modified because:

- a) the designations, have been demonstrated to be reasonably necessary for achieving the objectives of the Minister of Education
- b) the designations are consistent with the Purpose and Principles of the Resource Management Act under Part 2
- the standard and site-specific conditions of the designations as recommended by the Auckland Council will ensure that any potential adverse effects of activities authorised by the designations will be acceptable, and/or appropriately avoided, remedied or mitigated
- d) for the reasons given for recommending confirmation of modified designations set out in the following reports:
 - "Report to Auckland Council Hearing Topic 074 Designations Minister of Education <u>Inclusion of existing designations with modifications and general submissions</u>, May 2016" (Report #1)
 - ii. "Report to Auckland Council Hearing Topic 074 Designations Minister of Education Designations with modifications, May 2016" (Report #2)
 - iii. "Report to Auckland Council Hearing Topic 074 Designations Minister of Education <u>Designations with modifications, and submissions from Minister of Education and</u> Auckland Council, May 2016" (Report #3).

I trust this is sufficient to enable the Council, in accordance with the provisions of section 151(5), to carry out service of the notice of this decision to all submitters, landowners and directly affected persons and within 15 working days of your receipt of this letter.

I also look forward to Council including all *Education Purposes* designations in the *Auckland Unitary Plan*, as soon as is practicable following the expiration of the appeal period and without the need to use the First Schedule of the RMA.

Yours sincerely

Brett Dooley

Group Manager, Land & Property Services

Address for Service of Requiring Authority:

c/- Ellis Gould P O Box 1509

AUCKLAND 1140

Attention: Daniel Sadlier - Partner

cc: Auckland Council Legal Department Auckland Council Unitary Plan Team

		PR	OPOSED AUCKLAND U	INIIAKYI	PLAN	
PAUP Designation a	Common Name	Location (Address)	Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
		NORT	H & WEST			
4500 4501 4502	Albany Junior High School Albany School Albany Senior High School	Appleby Road, Albany Highway 6 Bass Road, Albany 536 & 546 Albany Highway	Educational Purposes - Junior High School (years 7 - 10) Educational Purposes - Primary School (years 0.8) Educational Purposes - Senior High School (years 11 - 13)	ACCEPT ACCEPT ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline in that is required shall incorporate: a. An, assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a. consideration of alternative methods and/or appropriate militarition to prevent or avoid damage, loss or destruction of her values of the scheduled historic heritage place; a. in analysis of the extent to which the construction works are required or desirable to enable educational activates to be carriedout; and d., an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the construction works are necessary to address safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in research of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place.	Report #2 Report #2 Report #3
4503 4504 4505 4506 4507 4508 4509	Bayview School Bayswater School Beach Haven School Belmont Intermediate Belmont School (Auckland) Birkdale North School	60 Bayview Road, Glenfield 181 Bayswater Avenue, Bayswater 50 Tramway Road, Beach Haven 188 Lake Road, Takapuna 3A Harrison Avenue, Takapuna 123 Birkdale Road 213 Birkdale Road	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Intermediate School (years 7 - 8) Educational Purposes - Intermediate School (years 7 - 8) Educational Purposes - Intermediate School (years 7 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT	reposed construction works are in accordance with this conservation or similar plan. "14. The war memorial plinth located between the trees identified in Gondition 49Condition 11 above shall be retained in its existing position as at 1 June 2007 Educational Purposes - Intermediate School (years 7 - 8) Educational Purposes - intermediate School (years 7 - 8) Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline lant that is required shall incorporate a. An assessment of the effects on the historic heritage place, b. a.	Report #2
4510	Birkdale Primary School	10 Sallsbury Road	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	consideration of alternative methods and/or appropriate mitigation to prevent or avoil damage, loss or destruction of the values of the scheduled historic charace place; c. a manables of the extent to which the construction works are required or destrable to enable educational activities to be carriedout; and d. he assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the cost associated with overcoming rafler concerns offset the values associated with the scheduled historic heritage plac. This condition shall not apply his property or maintenance of the scheduled historic heritage plac. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place. This condition is all not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	
4511 4512 4513 4514 4515 4516 4517 4518 4519 4520 4521 4522 4523 4524 4525 4526 4527 4528 4529 4530 4530	Birkenhead College Birkenhead School Birkenhead School Browns Bay School Campbells Bay School Chelsea School Devonport School Forrest Hill School Glamogan School Glamogan School Glenfield College Glenfield Intermediate Glenfield Intermediate Glenfield Primary School Greenhithe School Haurald School Kauril Park School TKKM o Te Raki Paiwhenua Long Bay School Mariangi Bay School Mariangi Bay School Mariany School	140 Birkdale Road 77 Mokois Road 08 Frowns: Bay Road 77 Aberdeen Road, Castor Bay 26 Centering Road, Birkenhead 18 Kern Street 48 Forrest Hill Road, Forrest Hill 145 Glamorgan Drive 52 Kajpatik Road, Glenfield 138 Chivalry Road, Glenfield 138 Chivalry Road, Glenfield 91 Sobel Road, Greenhithe Road, Greenhithe 82 Juttand Road, Takapuna 16 McGlashan Place, Beach Haven 7 Ceres Court, Rosedale 30 Ashley Avenue, Torbay 27 Ralph Eagles Place, Torbay 13 Agathis Avenue/ Gallay Drive 43 Maruka Road, Glenfield 44 Wukeham Place, Glenfield 44 Wykeham Place, Glenfield 44 Wykeham Place, Glenfield 44 Wykeham Place, Glenfield	Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 7 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 7 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 13) Educational Purposes - Primary School (years 0 - 13) Educational Purposes - Primary School (years 0 - 13) Educational Purposes - Primary School (years 0 - 13) Educational Purposes - Primary School (years 0 - 13) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Education Purposes - secondary school (years 7 - 13) and may include Early Childhoold Education (pre- school)"	Report #2 Report #3 Report #3 Report #3 Report #3
4532 4533	Murrays Bay Intermediate Northcote College	37 Sunris Avenue, Murrays Bay 1 Kauri Glen Road	Educational Purposes - Primary School (years 7 - 13) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT ACCEPT	Education Purposes - secondary school (years 7 - 13) and may include Early Childhoold Education (pre- school). Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place, b. a. assessment of the effects on the historic heritage values of the scheduled historic heritage place, c. an analysis of the extent to which the construction of the values of the scheduled historic heritage place, c. an analysis of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety to a second or the safety of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety to the construction works are necessary to address safety. The construction works are necessary to address safety to the construction works are necessary to address safety.	Report #2 Report #2 + #1
4534 4535	Northcote Intermediate Northcote School (Auckland)	145-157 Lake Road 69 Onewa Road, Northcote	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Education Purposes - primary school (0-8) and may include Early Childhood Education (pre-school)* Where any construction works for a project involve total or substantial demolition of, or modifications to a scheduled bistoric heritage lace; any coulting bits that is required shall incorporate; a dan assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a assessment of the effects on the historic heritage values of the scheduled historic heritage place; c. an analysis of the return of a destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are reculed or destrable to enable educational activities to be carried out; and, d. an assessment of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction works are necessary to address safety. The successary of the extent to which the construction or safety and the proposed outstruction works are necessary.	Report #3 Report #2
4536 4537 4538 4539 4540 4542 4543 4544 4545 4546 4547	Northcross intermediate Onepoto School Upper Harbour Primary School Oteha Valley School Pinehil School Rangstoto College Ridgeview School Sherwood School (Auckland) Stanley Bay School Surnybrae Normal School Surnybrae Normal School	14 Sartors Avenue 31 Fraser Avenue, Northcote 140 Kyle Road, Greenhitte 140 Kyle Road, Greenhitte 150 Oteha Valley Road, Albany 50 Spencer Road, Albany 564 Sart Cost Road Cutts Crescent (600 Paremoremo Road, Albany) 40 Sartors Avenue 15 Russell Stroad 35 Linnytine Road 35 Linnytine Road 35 Linnytine Road	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a An assessment of the effects on the bistoric heritage values of the scheduled historic heritage afface; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or estruction of the values of the scheduled historic heritage object; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent or which the construction works are reason of the extent or which the construction works are reason of the extent or which the construction works are deseasy to address state.	Report #2 +#3 Report #2
4548	Takapuna Grammar School	210 Lake Road, Takapuna	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of regain or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a consensation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	

		• •	OI OSED ACCREAND O	MILWILL	LAN	
PAUP Designation #				Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
4549	Takapuna Normal Intermediate	40 Northcote Road, Takapuna	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4549	такарина могтантиеттеовче	40 NOTTILLUE RUSS, TAKAPUITA	coocatona rurposes - Primary School (years 6 - 8)		Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of afternative methods and/or appropriate mitigation to prevent or avoid damage, loss or construction for the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and, an assessment of the extent to which the construction works are receasive to defense scalety.	Report #2
4550	Takapuna School	23 Auburn Street, Takapuna	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	concerns and/or the extent to which the costs associated with overcoming select concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a consensation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	
4551	Target Road School	84 Target Road, Takapuna	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4552 4553	Torbay School Vauxhall School	56 Deep Creek Road 2a Morrison Avenue	Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4554	Verran Primary School	136 Verran Road, Birkenhead	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4555	Wairau Intermediate	113 Becroft Drive, Forrest Hill	Educational Purposes - Intermediate School (years 7 - 8)	ACCEPT		Report #2
4556 4557	Wairau Valley School Westlake Boys' High School	138 Chivalry Road, Glenfield 30 Forrest Hill Road, Takapuna	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT ACCEPT	Education purposesprimary-school (years 0 – 8) special school (yrs 0-13)	Report #2+#3 Report #2
4558	Westlake Girls' High School	2 Wairau Road, Takapuna	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4559	Willow Park School	13 Compton Street, Hillcrest	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4560	Windy Ridge School	54 Seaview Road, Glenfield	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4561	Ahuroa School	1349 Ahuroa Road, Warkworth	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4562 4563	Coatesville School Dairy Flat School	24 Mahoenui Valley Road, Albany 1220 Dairy Flat Highway, Dairy Flat	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4564	Gulf Harbour School	65 Alec Craig Way, Whangaparaoa	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4565	Helensville School	29 Rata Street, Helensville	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4566 4567	Huapai District School Kaipara College	40 Station Road, Huapai 36 Rautawhiri Road, Helensville	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT ACCEPT		Report #2 Report #2
4568	Kaipara Flats School	12 School Road, Kaipara Flats	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4569	Kaukapakapa School	979 Kaipara Coast Highway, Kaukapakapa	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to a scheduled historic heritage labe, any outline plant hat is required shall incorporate a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place. b. a. a assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a. or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational extinities to be carried out, and, d. an assessment of the extent to which the construction works are necessary to address safety, concerns and/or the scheduled historic heritage place. This condition shall not apply in respect of preasor or maintenance of the scheduled historic heritage place. This condition shall not apply in respect of	Report #2
4570			Educational Purposes - Primary School (years 0 - 8)	ACCEPT	there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan,	
4570	Leigh School Mahurangi College	26 Hauraki Road,-Leigh 2-30 Woodcocks Road, Warkworth	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2 Report #2
4572	Matakana School	948-960 Matakana Road, Matakana	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4573	Orewa North School	280 Centreway Road, Orewa	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3 Report #2+#3
4574	Orewa Primary, Orewa College and Orewa Training Centre	80 Riverside Road, Orewa	Educational Purposes - Primary School (years 0 - 8), Secondary School (years 7 - 13) and Educational Purposes Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2+#3
4575	Orewa West Primary School	86 Maire Road, Orewa	Early Childhood Education (preschool)	ACCEPT		
4576 4577	Pakiri School Parakai School	4 Bathgate Road, RD 2 Wellsford 10 Fordyce Road, Helensville	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4578	Red Beach School	20 Albert Hall Drive, Whangaparaoa	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4579	Riverhead School	19 School Road, State Highway 18, Riverhead	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4580	Rodney College	287 & 287A Rodney Street, Wellsford	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4581	Silverdale School	2 Longmore Lane . Silverdale	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4582	Snells Beach Primary School	62 Dawson Road, Snells Beach	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8), Intermediate	ACCEPT		Report #2
4583 4584	Whangaparaoa Campus Stanmore Bay School	28 Bonita Avenue, Stanmore Bay 30 & 36 Waiora Road, Whangaparaoa	School (years 7 - 8) and Secondary School (years 7 - 13) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2+#3 Report #2
4585	Tapora School	1 Okahukura Road, Tapora	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4586	Tauhoa School	15 Tauhoa Road RD 4 Warkworth	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4587	Taupaki School	14 Cottle Road RD 2 Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4588	Tomarata School	8 Pakiri Block Road, RD 4 Wellsford	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhood Education (pre-	Report #2 Report #2+#3
4589	Waimauku School	2 Muriwai Road, Waimauku	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	school)"	
4590 4591	Wainui School Waioneke School	494 Waitoki Road, Kaukapakapa 1981 South Head Road, Waioneke	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4592	Waltoki School	1107-1119 Kahikatea Flat Road, Kaukapakapa		ACCEPT		Report #2
4592 4593		244 8 25 Hill Street Workworth	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		
4593 4594	Warkworth School Wellsford School	47 School Road, Wellsford	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2 Report #2
4595	Whangaparaoa School (Auckland)		Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4596	Woodhill School	1541 State Highway 16, Woodhill	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4596	Arahoe School	11 Arahoe Road, New Lynn	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4598	Arohanui Special School	82 Tirimoana Road, Te Atatu South	Educational Purposes - Special School (years 0 - 13)	ACCEPT		Report #2
4599 4600	Birdwood School Bruce McLaren Intermediate	23 Karepo Crescent, Henderson 61 Bruce McLaren Road, Henderson	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Intermediate School (years 7 - 8)	ACCEPT ACCEPT		Report #2 Report #2+#3
4601	Colwill School	7A Kintara Drive, Royal Heights	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4602	Don Buck School	124 Don Buck Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4603	Edmonton School	1-29 School Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre-	Report #2 Report #2+#3
4604	Flanshaw Road School	51-61 Flanshaw Road, Te Atatu	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	school)"	
4605	Freyberg Memorial School	60 Roberts Road, Te Atatu	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre- school)"	Report #2+#3
4606	Fruitvale Road School	9 Croydon Road, New Lynn	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	<u>acrossy</u>	Report #2
4607 4608	Glen Eden Intermediate Glen Eden School	23 Kaurilands Road, Titirangi 3 Glenview Road, Glen Eden	Educational Purposes - Intermediate School (years 7 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and c. an assessment of the extent to which the construction works are necessary to address safely; concerns and/or the extent to which the construction works are necessary to address safely; concerns and/or the extent to which the construction works are necessary to address safely;	Report #2 Report #2
4609	Glendene School	60 Barrys Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	values associated with the scheduled historic heritage place. This condition shall not apply in respect of repeal or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	Report #2
4610 4611	Green Bay Primary School Green Bay High School	161 Godley Road, Green Bay 131 Godley Road, Green Bay	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT ACCEPT		Report #2 Report #2
4612	Henderson High School	19 Henderson Valley Road, Henderson	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4613	Henderson Intermediate	70 Lincoln Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4614	Henderson North School	14 Norval Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2

			PROPOSED AUCKLAIND O	INLIANT	PLAN	
PAUP Designation #			Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
Designation #					Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or	(S131(2) letter)
4615	Henderson School	11A Montel Avenue, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are resulted or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety.	Report #2
					regair or maintenance of the scheduled historic heritage place. This condition shall not apply where, there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	
4616	Henderson South School	24 Garelia Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline lan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; a nanalysis of the extent to which.	Report #2
4617	Henderson Valley School	389 Henderson Valley Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	the construction in weak care required or desirable to enable educations altered to the control	Report #2
4618	Hobsonville School	104A Hobsonville Road. Hobsonville	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4619	Kaurilands School	109 Atkinson Road, Titirangi	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4620 4621	Kelston Boys' High School Kelston Intermediate, St Leonards Road School	78-86 Archibald Road, Kelston 12B Vanguard Road, Kelston	Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 0 - 8) and Intermediate School (years 7 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4622	Kelston Primary School, Kelston Girls' College, Kelston Deaf Education Centre	3 Archibald Road, New Lynn	Educational Purposes - Primary School (years 0 - 8), Secondary School (years 7 - 13), Special School (years 0 - 13) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4623	Konini School (Auckland)	73 Withers Road, Glen Eden	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4624 4625	Laingholm School Lincoln Heights School	54 Victory Road, Laingholm 16 Keegan Drive, Massey	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4626	Marina View School	97 Marina View Drive, Hobsonville	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4627	Massey High School	1/272 Don Buck Road, Massey	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre-	Report #2 Report #2+#3
4628	Massey Primary School	326 Don Buck Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	school)"	
4629 4630	Matipo Road School New Lynn School	63A Matipo Road, Te Atatu 1 Hutchinson Avenue, New Lynn	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4631	Oaklynn Special School	20 Mayville Avenue, New Lynn	Educational Purposes - Printary School (years 0 - 8) Educational Purposes - Special School (years 0 - 13)	ACCEPT		Report #2
4632	Oratia School	552 West Coast Rd, Oratia	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage pales, any outline land that is required shall incorporate a. On, assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a. assessment of the effects on the historic heritage values of the scheduled historic heritage place; c. an analysis of the extent to which the construction of alternative methods and/or appropriate mitigation to prevent or avoid diamage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are necessary to address safety concerns, and/or the eatent to which the construction works are necessary to address safety concerns, and/or the sent to which the construction works are necessary to address safety concerns, and/or the sent to which the construction works are necessary to address safety concerns and/or the sent to which the construction works are necessary to address safety concerns and/or the sent to which the construction services and the safety of the safe	Report #2 +#1
4633 4634	Piha School Pomaria Road School	Garden Road, Piha 33A Pomaria Road, Henderson	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT	Amend " Garden-Rood, Piha" to " <u>42 Seaview Rd</u> , Piha"	Report #2 +#3 Report #2
4635	Hobsonville Point Primary School	Buckley Avenue, Hobsonville	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT	Amend "Buckley Ave, Hobsonville" to "18 De Havilland Rd, Hobsonville"	Report #2 +#3
4636	Summerland Primary School	62 Summerland Drive, Henderson	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4637	Prospect School	58 Rosier Road, Glen Eden	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre- school)"	Report #2+#3
4638	Rangeview Intermediate	19 Ozich Avenue, Te Atatu South	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Amend condition 6. as follows: "The Requiring Authority shall provide written confirmation from a	Report #2+#3 Report #2 + #3
4639	Ranui Campus	92 Simpson Road, Ranui	Educational Purposes - Primary School (years 0 - 8), Kura Kaupapa Maori (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT	America colination : as discuss. The regioning nationing yealth provide mixten continuation into it of Chartered Professional Engineer (with experience in geotechics and familiarity with the report review detailed in Condition S have been fully satisfied.*	Report #2 + #3
4640	Ranui School	1/16A Ranui Station Road, Ranui	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre- school)"	Report #2+#3
4641	Royal Road School	112 Royal Road, Massey	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - secondary school (years 7 - 13) and may include Early Childhoold Education (pre-	Report #2 Report #2+#3
4642	Rutherford College	18 Kotuku Street, Te Atatu	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	school)"	
4643	Rutherford School Hobsonville Point Secondary	7 Toru Street, Te Atatu	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13) and may include	ACCEPT		Report #2 Report #2
4644	School	Boundary Road, Hobsonville	Early Childhood Education (preschool)	ACCEPT		
4645	Secondary School Site	73-89 Moire Road, Massey	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2 Report #2
4646	Westbridge Residential School	488E Don Buck Road, Massey	Edcuational Purposes - Special School (years 0 - 13)	ACCEPT		
4647 4648	Sunnyvale School Swanson School	34 Ribblesdale Road, Henderson 703 Swanson Road, Swanson	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2 Report #2
4649	Te Atatu Intermediate	8 Harbour View Road, Te Atatu North	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4650 4651	Peninsula Primary School Tirimoana School	22 Waipani Road, Te Atatu 34 Kokiri Street, Te Atatu South	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2+#3 Report #2
4652	Titirangi School	1-7 Kohu Road, Titirangi	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to a scheduled historic heritage place any outline plan that is required shall incorporate; a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a. consideration of afternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; a. analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and, an assessment of the extent to which the construction works are necessario address asfety, concerns and/or the extent to which the construction works are researed to the scheduled historic heritage place. This condition shall not apply respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	Report #2 +#1
4653	Waitakere College	42-60 Rathgar Road, Henderson	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4654	Waitakere School	10 Bethells Road, Waitakere	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4655	West Harbour School	74 Oreil Avenue, Massey	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre- school)"	Report #2+#3
4656	Western Heights School	124 Sturges Road, Henderson	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4657	(Auckland) Whenuapai School	14 Airport Road, Whenuapai	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4658 4559	Woodlands Park School Torbay Kindergarten	202 Woodlands Park Road, Woodlands 141 Deep Creek Road, Torbay	Educational Purposes - Primary School (years 0 - 8) Educational Purpose -	ACCEPT ACCEPT		Report #2 Report #2
-333	July minucipal ten	2.2 Deep creek node, followy	CENTRAL	ACCEPT		neport#2
4700	Auckland College of Education	74 Epsom Avenue Epsom Auckland 102		ACCEPT		Report #2+#3

		PN	OPOSED AUCKLAND UN	IIIANTI	PLAIN	
PAUP Designation #			Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Referen (s151(2) letter)
4701	Auckland Girls' Grammar School	14-16 Howe Street Freemans Bay Auckland 1011	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any contine plan that is required shall incorporate a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; a manable of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are large place. This conditions shall not apply irrespect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply the respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply the respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply the respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply the respect of repair or maintenance of the scheduled historic heritage place.	Report #2+#1
4702	Auckland Grammar	55-85 Mountain Road Epsom Auckland 1023	Educational Purposes - Secondary School (years 7 - 13) and may include residential accommodation for students	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline plain that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place, b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of his values of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction owers are necessary to address safety, concerns and/or the extent to which the construction owers are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are place. This conditions hall not apply his respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply his respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply his respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply his respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply historic place and the proposed construction works are in accordance with this conservation or similar plan.	Report #2 +#1
4703	Auckland Normal Intermediate	74 Epsom Avenue Epsom Auckland 1023	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place. b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the settent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns and/or the extent to which the construction works are necessary to address safety, concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply where there is a consensation plan or similar plan for the management of the scheduled historic heritage place. This condition shall not apply where there is a consensation plan or similar plan for the management of the scheduled historic heritage place. This condition shall not apply where there is a consensation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	Report #2+#3
4704	Avondale College, Avondale Intermediate	47-61 Victor Street Avondale Auckland 1026	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	"Education Purposes - secondary school (years 7 - 13), <u>intermediate school (years 7 - 8) and may include</u> Early Childhoold Education (pre-school)"	Report #2 + #3
4705	Avondale Primary School (Auckland)	1910-1940 Great North Road Avondale Auckland 1026	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4706	Bailey Road School	15 Bailey Road Mount Wellington Auckland 1060	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4707	Balmoral School (Auckland)	19-21 Brixton Road Balmoral Auckland 1024	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4708	Bayfield School	2-12 Clifton Road Herne Bay Auckland 1011	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4709	Blockhouse Bay Intermediate	95-97 Bolton Street Blockhouse Bay Auckland	Educational Puposes - Intermediate School (years 7 - 8)	ACCEPT		Report #2
4710	Blockhouse Bay School	0600 584 Blockhouse Bay Road, Blockhouse Bay	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4711	Chaucer School	2A Chaucer Place Blockhouse Bay Auckland 0600	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4712	Churchill Park School	41 Kinsale Avenue Glendowie Auckland 1071	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4713	Cornwall Park District School	193 Green Lane West Greenlane Auckland 1051	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4714	Dominion Road School	14 Quest Terrace Three Kings Auckland 1041	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4715	Edendale School (Auckland)	419 Sandringham Road Sandringham Auckland 1025	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4716	Education Department Activity Centre	10 Beatty Street Otahuhu Auckland 1062	Early Childhood Education (preschool) Educational Purposes	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to a, scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place. b. a consideration of afternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of her values of the scheduled historic heritage place: c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address stafety, concerns and/or the extent to which the construction works are necessary to address stafety, concerns and/or the extent to which the construction works are necessary to address stafety, concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply in the place and the proposed construction works are in accordance with this conservation or similar plan.	Report #2
4747	Ellardia Sch1	12 Kalmin Street Ellerelle Accele	Educational Durances - Primary Calculations - A - 20	ACCENT.		Report #2+#3
4717 4718	Ellerslie School Epsom Girls' Grammar School	12 Kalmia Street Ellerslie Auckland 1051 14 Silver Road Epsom Auckland 1023	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13) and may include	ACCEPT ACCEPT		Report #2+#3 Report #2
4719	Epsom Normal School	41 The Drive Epsom Auckland 1023	residential accommodation for students Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4720	Fairburn School	27 Fairburn Road Otahuhu Auckland 1062 95 Wellington Street Freemans Bay Auckland	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2 Report #2
4721	Freemans Bay School	1011 4-8 Seaview Terrace Mount Albert Auckland	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4722	Gladstone School (Auckland)	1025	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Kura Kaupapa Maori (years 0 - 13) and may	ACCEPT		Report #2
4723	TKKM o Puau Te Moananui-a-Kiwa	1072	include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4724	Glen Innes School	38-42 Eastview Road Glen Innes Auckland 1072 172 West Tamaki Road Glendowie Auckland	Early Childhood Education (preschool)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhoold Education (pre-	Report #2+#3
4725	Glen Taylor School	1072	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	school]"	
4726	Glenavon School	340 Blockhouse Bay Road Avondale Auckland 0600	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) <u>and may include Early Childhoold Education (pre-school)</u> "	Report #2+#3
4727	Glenbrae Primary School	103 Leybourne Circle Glen Innes Auckland 1072	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4728	Glendowie College	19-21 Crossfield Road Glendowie Auckland 1071	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2+#3
4729	Glendowie School	217 Riddell Road Glendowie Auckland 1071	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4730	Grey Lynn School	44 Surrey Crescent Grey Lynn Auckland 1021	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4731	Halsey Drive School	106 Halsey Drive Mount Roskill Auckland 1042	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4732	Hay Park School	670 Richardson Road Mount Roskill Auckland 1041	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4733	Hillsborough School		Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
		5	* *			

		FIV	OF OSED AUCKLAND O	MILWINE	LAIV	
PAUP Designation #			Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
4734	Kohia Terrace School	74 Epsom Avenue Epsom Auckland 1023	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An consideration of affects on the historic heritage values of the scheduled historic heritage place, b. a consideration of afternative methods and/or appropriate mitigation to prevent or avoid damage, loss or consideration of the values of the scheduled historic heritage place; c. a nashles of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and, an assessment of the extent to which the construction works are necessary to address stafety, concerns offset the values associated with the cycled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place.	Report #2
		112 Kohimarama Road, Kohimarama Auckland				Report #2
4735	Kohimarama School	1071	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		
4736	Kowhai Intermediate	26 Onslow Road Kingsland Auckland 1024	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13) and may include	ACCEPT		Report #2+#3 Report #2+#3
4737	Lynfield College	100 Boundary Road Avondale Auckland 0600	Early Childhood Education (preschool)	ACCEPT		Report #2
4738	Royal Oak Intermediate School	74 Symonds Street Onehunga Auckland 1061	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		
4739	Marshall Laing School	39 Marshall Laing Avenue Mount Roskill Auckland 1041	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4740	Maungawhau School	43 Ellerton Road Mount Eden Auckland 1024	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4741	May Road School	504 Richardson Road Mount Roskill Auckland	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4742	Meadowbank School	1041 68 Waiatarua Road Remuera Auckland 1050	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4743	Mt Albert Grammar School	30-40 Alberton Avenue Mount Albert Auckland 1025	Educational Purposes - Secondary School (years 7 - 13) and may include residential accommodation for students	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historis, theritage place, any outline lan that is required shall incorporate, a. An, assessment of the effects on the historis heritage values of the scheduled historis heritage place, b. a, consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historis heritage place, c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carriedout; and d, an assessment of the extent to which the construction works are required or desirable to enable educational activities to be carriedout; and d, an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the construction works are necessary to address safety concerns. and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair.	Report #2 + #1
4744	Mt Albert School	6 Sainsbury Road Mount Albert Auckland 1025	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	АССЕРТ	or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan, Where any construction works for a project involve total or substantial demolition of, or modifications.	Report #2 Report #2+#3
4745	Mt Eden Normal School	73 Valley Road Mount Eden Auckland 1024	Educational Purposes - Primary School (years 0 - 8)	АССЕРТ	to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are nequired or desirable to enable educational activities to be carried out; and, an assessment of the extent to which the construction works are necessary to address stately, concerns and/or the entent to which the construction works are necessary to address stately, concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where, there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	
4746	Mt Richmond School	30-32 Albion Road Otahuhu Auckland 1062	Educational Purposes - Special School (years 0 - 13)	ACCEPT		Report #2
4747	Mt Roskill Primary, Intermediate and Grammar School + ECE	37-65 Frost Road Mount Roskill Auckland 1041	Educational Purposes - Primary School (years 0 - 8), Secondary School (years 7 - 13) and may include Early Childhood Education (preschool)	ACCEPT	"Education Purposes - primary school (years 0-8), <u>intermediate school (years 7 - 8) secondary school</u> (years 7 - 13) and may include Early Childhood Education (pre-school) [*]	Report #2+#3
4748	Stonefields School + ECE	81 Tihi St, Stonefields, Auckland	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4749	New Windsor School	185 New Windsor Road, New Windsor Auckland 0600	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4750	Newmarket School	7-11 Gillies Avenue Epsom Auckland 1023	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4751	Newton Central School	15-19 Monmouth Street Grey Lynn Auckland 1021	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4752	Onehunga High School	24 Pleasant Street Onehunga Auckland 1061	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4753	Onehunga Primary School	122 Arthur Street Onehunga Auckland 1061	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline lain that is required shall incorporate a. An assessment of the effects on the historic heritage values of the scheduled historic heritage values of the scheduled historic heritage place, b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are recuired to relate instance and analysis of the extent to which the construction works are necessary to address adject voncems and/or the extent to which the construction works are necessary to address adject voncems and/or the extent to which the construction works are necessary to address adject voncems and/or the extent to which the construction works are necessary to address adject voncems and/or the extent to which the construction works are necessary to address adject voncems and/or the extent to which the construction works are constructed with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	Report #2+#1
4754	Orakei School	1 Grace Street Orakei Auckland 1071	Educational Durance Delegan Cabani (comp. 0. 0)	ACCEPT		Report #2
4754	Oranga School		Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
					Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historis heritage place, any outline plan that is required shall incorporate; a. An assessment of the effects on the historis heritage values of the scheduled historis heritage place, b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historis heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and, an assessment of the extent to which the construction works are necessary to address safety.	Report #2+#1
4756	Otahuhu College	74 Mangere Road Otahuhu Auckland 1062	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply her respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place, and the proposed construction works are in accordance with this conservation or similar plan.	
4757	Otahuhu Intermediate	22-24 Luke Street Otahuhu Auckland 1062	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place, b. a consideration of alternative methods and/or approximate mitigation to prevent or avoid dismane, loss or destruction of the values of the scheduled historic heritage place, c., an analysis of the extent to which the construction works are required or desirable to enable educational extinctive to the carried out, and	Report #2+#3 Report #2
4758	Otahuhu School	41 Station Road Otahuhu Auckland 1062	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	d. an assessment of the extent to which the construction works are necessary to address safety. concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	
4750	Oursiraka Dietriet C-h1	112 Pichardron Road Olanta Ahina 2 4000	Educational Burneror Brimany School (1999)	ACCEPT		Report #2
4759	Owairaka District School Pacific Island Education Resource		Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4760	Centre Centre	272A Jervois Road Herne Bay Auckland 1011	Educational Purposes	ACCEPT		перин и

EDUCATION PURPOSE DESIGNATIONS PROPOSED AUCKLAND UNITARY PLAN

PAUP Designation #	Common Name	Location (Address)	Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
4761	Panama Road School	139 Panama Road Mount Wellington Auckland 1062	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4762	Panmure Bridge School	76 Kings Road Panmure Auckland 1072	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4763	Panmure District School	87 Mount Wellington Highway Mount Wellington Auckland 1060	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4764	Parnell School	48-82 St Stephens Avenue Parnell Auckland 1052	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4765	Pasadena Intermediate	2 Moray Place Point Chevalier Auckland 1022	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4766	One Tree Hill College	421-455A Great South Road Penrose Auckland 1061	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2+#3
4767 4768	Ponsonby Intermediate Ponsonby Primary School	50 Clarence St Ponsonby Auckland 50 Curran Street Herne Bay Auckland 1011	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2+#3 Report #2
4769	Pt Chevalier School	7-31 Te Ra Road Point Chevalier Auckland 1022	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4770	Pt England School	130 Point England Road Point England Auckland 1072	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4771	Remuera Intermediate	64-72 St Vincent Avenue Remuera Auckland 1050	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2+#3
4772	Remuera School		Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4773	Richmond Road School	113-127 Richmond Road Ponsonby Auckland 1021	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-6) and may include Early Childhood Education (pre- school)"	Report #2+#3
4774	Rosebank School (Auckland)	217 Rosebank Road Avondale Auckland 1026	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4775	Royal Oak School	663 Manukau Road Royal Oak Auckland 1023	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4776	Ruapotaka School		Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4777	Eden Campus Teen Parent Unit	16 Ngauruhoe Street Mount Eden Auckland 1024	Educational Purposes - Secondary School (years 7 - 13) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4778	Selwyn College	203-245 Kohimarama Road Kohimarama Auckland 1071	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4780	Sunnydene Special School	48 Smallfield Avenue Three Kings Auckland 104	2 Edcuational Purposes - Special School (years 0 - 13)	ACCEPT		Report #2
4781	Luke St Special School	32-44 Luke Street Otahuhu Auckland 1062	Educational Purposes - Special School (years 0 - 13)	ACCEPT		Report #2
4782	St Heliers School	126-160 St Heliers Bay Road St Heliers Auckland 1071	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4783	St Thomas School (Auckland)	236-264 Kohimarama Road Kohimarama Auckland 1071	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4784	Stanhope Road School	2B Harris Road Mount Wellington Auckland 1051	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4785	Sylvia Park School	3 Longford Street Mount Wellington Auckland 1060	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4786	Tamaki College	109-115 Taniwha Street Glen Innes Auckland 1072	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4787	Tamaki School, Tamaki Intermediate, Sommerville School	80A Tripoli Road Panmure Auckland 1072	Educational Purposes - Primary School (years 0 - 8) and Special School (years 0 -13)	ACCEPT		Report #2
4788	TKKM o Nga Maungarongo	140-142 Haverstock Road Sandringham Auckland 1025	Educational Purposes - Kura Kaupapa Maori (years 0 - 13) and may include Early Childhood Education (preschool)	ACCEPT		Report #2+#1
4789	Te Papapa School	219 Mount Smart Road Onehunga Auckland 1061	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4790	Three Kings School	944 Mount Eden Road Three Kings Auckland 1024	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	"Education Purposes - primary school (years 0-8) and may include Early Childhood Education (pre- school)"	Report #2+#3
4791	Victoria Avenue School	282 Victoria Avenue Remuera Auckland 1050	Educational Purposes - Primary School (years 0 - 8)	ACCEPT	200000	Report #2+#1
4792	Waikowhai Intermediate	650 Richardson Road Mount Roskill Auckland 1041	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4793	Waikowhai School	381 Hillsborough Road Mount Roskill Auckland 1042	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4794	Waterview School	19 Oakley Avenue Waterview Auckland 1026	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4795	Wesley Intermediate	766-778 Sandringham Road Extn Mount Roskill Auckland 1041	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4796	Wesley Primary School	24-28 Potter Avenue Owairaka Auckland 1041	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4797	Western Springs College	100-102 Motions Road Westmere Auckland 1022	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4798	Westmere School (Auckland)	81 Garnet Road Westmere Auckland 1022	Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
			SOUTH			
4900	The Gardens School	101S Charles Prevost Drive, The Gardens	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4901	Alfriston College	550S Porchester Road, Manurewa	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4902	Anchorage Park School	16S Swan Crescent, Pakuranga	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4903	Aorere College	8S Selfs Road, Papatoetoe	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	1. In the event that Agrere College is within the Auckland International Airport Moderate Aircraft Noise Area (MANA), the following condition applies: 1(A). The following acoustic and related treatment	Report #2+#1

Lin the event that Aorere College is within the Auckland International Airport Moderate Aircraft Noise Area (MANA), the following condition applies: 1(A). The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:

(a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ltd 40dBA;

(b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research (TNMA-TIMINA). Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000), and - capable of providing outdoor air ventilation at the rate of 8 litters of all pers sond per senson for the maximum, number of people able to be accommodated in any such noom at one time ("the required airflow"): - capable of enabling, (in the case of classrooms or Binaries in which not wenchanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external door, and windoos of the classroom or library are closed: - otherwise complying with the New Zealand Standerd NZS 4303-1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Les 35048 in each classroom, on more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no more than Les 40488 in each library, and no mor

(c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; -enabling the outdoor airflow to be controlled across the range. From the maximum airflow down to the rate of Bitters of outdoor airflow to be controlled across the range. From the maximum airflow down to the rate of Bitters of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NS2 4303: 1939 Ventilation for Acceptable Indoor Art Quality; and -creating no more than lea 3568A in each hall, and no more than lea 4068A in any hallway or corridor. Noise levels from the mechanical system(s) 340 be measured at least 1 metre away from any diffuser, or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees. Celsius, Data Part 27 degrees. Celsius, Data Period 1991; 2000. The mechanical system(s) hall be measured at 10 period 1991; 2000. The mechanical systems shall create no more than lea, 358AB in each hall, and no more than lea, 0408A in any shallyway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 Imetre average from the diffuser. These systems shall otherwise comply with the New Zealand Standard NES 4303: 1990 Ventilifotton for Acceptable Indoor Air Quality.

EDUCATION PURPOSE DESIGNATIONS PROPOSED AUCKLAND UNITARY PLAN

[18]. Where Condition IIAI requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person for persons) nominated by the Minister and approved by the Council "an approved person"; certifying that, the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal

ion Report Refe (s151(2) letter)

Report #2

Report #2

Report #2

Report #2

Report #2+#1

acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) into the in breach of Condition 1/AI where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clause (a) of this condition (Condition 1A), above, has been provided.

Bairds Mainfreight Primary School 12S Edward Avenue, Otara Baverstock Oaks School 21S Baverstock Road 35S Mirrahooka Ave Howick 359S Brookby Road Brookby Brookby School 4911 Bucklands Beach Primary School 107S Clovelly Road, Bucklands Beach 4912 Chapel Downs School 170S Dawson Road, Flat Bush

Educational Purposes - Senior High School (years 11 - 13), Special School (years 0 - 13) and may include two(2) Early Childhood Education pre-school(s) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Educational (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Intermediate School (years 7 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) [Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT ACCEPT Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) ACCEPT

1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls that are the subject of additions or all attentions is laboustic insulation and related withintion and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, library and hall (with all external doors and windows of the classrooms, library and hall (with all external doors and windows of the classrooms, library and hall (sough) of Ind 40884.

(b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: designed to achieve indoor air temperatures not less than 16, december 15, so that the control of the unwher of ecole able to be accommodated in any such room at one time ("the required airflow"); capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation syste are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow when controlled across the range, from the maximum airflow capacity down to the required airflow when controlled across the range, from the maximum ariflow capacity down to the required ariflow when all setemal doors and windows of the classroom or library acclosed: otherwise complying with the New Zealand Standard MZS 43931390 Ventilation for Acceptable Indoor Ari, and -capable of creating no more than lea 3546An least classroom, no more than lead 400fdA in each library, and no more than lead (cl in the case of halls either: (i) a mechanical wentilation systems or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; -enabling the outdoor airlive to be controlled across the range, from the maximum airflow down to the rate of 8 littles of outdoor all per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise, complying with the New Zealand Standard NZS 4302: 1990 Veritalization for acceptable indoor Air Quality; and-creating no more than Leg 35d82 in each hall, and no more than Leg 40d8A in any hallway or. and - creating no more than leag 55(BE) in each hall, and no more than leag 60(BA) in any hallway or. corrior. Noise levels from the mechanical system(s) shall be measured at least. I metre away from any diffuser, or. (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees. Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric. Research ("NIWA") (INWA). Design Temperatures for Air Conditioning (degrees Chissi), 1024 Perology 2000). The mechanical system shall create no more than Lea 35(BA) in each hall, and no more than Leag. 2. Where Condition 1 requries the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying the the proposed acoustic treatment and related ventilation measures are sifficient to achieve the intensal acoustic environment and ventilation requirements specified in this condition, and where the Minister intalls any acoustic treatement and or ventilation or air conditioning measures, the Minister shall (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition I where the internal noise standards and related welltaken requirements are not met in each instance provided the relevant certificate required in sub-clasue (a) of this condition (Condition 1), above, has been provided or provided the relevant certificate required in sub-clasue (a) of this condition (Condition 1), above, has been provided to the relevant certificate required in sub-clasue (a) of this condition (Condition 1).

4913	Clayton Park School	187S Coxhead Road, Manurewa
4914	Clendon Park School	145 Rowandale Avenue, Manurewa
4915	Clendon Teen Parent Unit	28 Palmers Road, Clendon Park
4916	Clevedon School	15S North Road, Clevedon
4917	Cockle Bay School	10S Sandspit Road, Howick
4918	Dawson School	Haumia Way (94S Dawson Road), Otara
4919	East Tamaki School	196S Preston Road, Otara
4920	Edgewater College	32S Edgewater Drive, Pakuranga
4921	Elm Park School	46 Gossamer Drive, Pakuranga
4922	Everglade School	64S Everglade Drive, Manukau Heights
4923	Farm Cove Intermediate	14S Butley Drive, Pakuranga
4924	Favona School	48S Wakefield Road, Mangere
4925	Ferguson Intermediate (Otara)	10S Ferguson Road, Otara
4926	Finlayson Park School	85S John Walker Drive, Manurewa
4927	Ormiston Campus	275-291 Ormiston Road, Flat Bush
4928	Flat Bush School	20S Flat Bush Road, Otara
4929	Greenmeadows Intermediate	27S Greenmeadows Avenue Manurewa
4930	Hillpark School	55S Grande Vue Road, Manurewa
4931	Blind and Low Vision Education Network NZ	157 Browns Road, Manurewa
4932	Homai School	89S Browns Road, Manurewa
4933	Howick College	25S Sandspit Road, Howick
4934 4935	Howick Intermediate	15S Botany Road, Howick
	Howick Primary School	40S Willoughby Avenue, Howick
4936	James Cook High School	18S Dr Pickering Avenue, Manurewa
4937	Jean Batten School	6 Imrie Avenue, Mangere
4938	Mission Heights Junior College	103-123 Jeffs Road, Flat Bush
4939	Kedgley Intermediate	181S Portage Road, Papatoetoe

Schedule of Decision

Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Secondary School (years 7 - 13) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Education (preschool)
Educational Purposes - Secondary School (years 7 - 13)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include
Early Childhood Education (preschool) Educational Purposes - Intermediate School (years 7 - 8) and may
include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8), Secondary School (years 7 - 13) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Special School (years 0 - 13)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 0 - 8)
Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)
Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Junior High School (years 7-10) and may include
Educational Purposes - Junior Ingli School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)

ACCEPT

ACCEPT		Report #2
ACCEPT		Report #2
		Report #2
ACCEPT		
ACCEPT		Report #2
ACCEPT		Report #2+#3
		Report #2
ACCEPT		nepore #2
		Report #2+#3
ACCEPT		
ACCEPT		Report #2
ACCEPT		Report #2
ACCEPT	Plan Change confirmed	Report #2+#1
ACCEPT		Report #2
ACCEPT	"Education Purposes - secondary school (years 7 -13) and may include Early Childhood Education (pre- school)"	Report #2+#3
ACCEPT		Report #2
ACCEPT		Report #2
ACCEPT		Report #2

EDUCATION PURPOSE DESIGNATIONS PROPOSED AUCKLAND UNITARY PLAN

PROPOSED AUCKLAND UNITARY PLAN						
PAUP Designation	Common Name	Location (Address)	Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Referen (s151(2) letter)
4940	Kia Aroha College	51S Othello Drive, Wiri	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls to fine or disastrooms, libraries or halls to fine the subject of additions or allerations: (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, librarie and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Lish 406BA.	Report #2+#1
					(b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: designed to achieve indoor air temperatures not less than 16 degrees Cellus in winter and not greater than 27 degrees Cellus in summer a 55% ambient design conditions as published by the National Institute of Waiter and Atmospheric Research ("MINDA") (INDWA). Design Temperatures for Air Conditioning (degrees Cellusis), Data Periori pl91-2000); and -camable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of pacce plant to the case of classrooms or libraries in which only mechanical wentilation systems, are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the canee, from the maximum airflow capacity down to the required airflow when all setternal doors and windows of the classroom on library are closed; - otherwise complying with the New Zealand Standard MSZ 4803.1900 Ventilation for Acceptable Indoor Air; and -capable of creating to, more than Les (356All neach Cissoroom, no more than les (4 library, and no more than Les) (456All neach Cissoroom, no more than les) (4 library, and no more than Les) (4 library, and no more than Les) (4 library, and library or than Les (4 library) (4 library).	
					(c) in the case of hals either: (i) a mechanical ventilation system or mechanical ventilation systems for each half capable of: - providing at least 12 litres of outdoor air per second per square metre with all exeternal doors and windows of the half closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of all titres of outdoor airflow to be controlled across to the maximum number of occupants able to be accommodated in the half at one time; otherwise complying within New Zealand Standard NZS 4303 1:090 Ventilation for Acceptable Indoor Air Quality; and - creation so more than lea 3568L in each half, and no more than lea 4508Lh an whallway or corridor. Noise levels from the mechanical system(s) shall be measured at least. I metre away from any, diffuser, or, (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and Internal air temperatures in each half not greater than 27 degrees. Castlay, at 3% ambient design conditions as published by the National Institute of Warte & Armospheric, Castlay, at 3% ambient design conditions as published by the National Institute of Warte & Armospheric, 2000. The mechanical systems half create no more than lea 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more than lea, 368An in each half, and no more th	
					2. Where Condition I requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that, the proposed acoustic freatment and related ventilation measures are sifficient to achieve the liniteral acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or all conditioning weavers, the Minister shall (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clasue (a) of this condition (Condition 1), above, has been provided to the Council.	
			Educational Purposes - Primary School (years 0 - 8) and may include			Report #2
4941 4942	Kingsford School Koru School	54S Ragian Street, Mangere East 71S Robertson Road, Mangere East	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4943	Leabank School	7S Dr Pickering Avenue, Manurewa	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4944	Macleans College	32S Macleans Road, Bucklands Beach	Early Childhood Education (preschool) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4945 4946	Macleans Primary School Mangere Bridge School	10S Wycherley Drive, Bucklands Beach 2S Domain Road, Mangere Bridge	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT ACCEPT		Report #2 Report #2
4947	Mangere Central School	244S Kirkbride Road, Mangere	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4947	Mangere College	51S Bader Drive, Mangere	Early Childhood Education (preschool) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT		Report #2
4949	Mangere East School	21S Yates Road, Mangere	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4950	Southern Cross Campus	253S Buckland Road, Mangere	Educational Purposes - primary school (years 0 -8) and may include Early Childhood Education (preschool)	ACCEPT	"Education Purposes -primary school (years 0 - 8) and secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)"	Report #2+#3
4950	Te Kura Maori o Nga Tapuwae	253S Buckland Road, Mangere	Educational Purposes - Kura Kaupapa Maori (years 0 - 13) and may include Early Childhood Education (preschool)	ACCEPT	"Education Purposes -primary school (years 0 - 8) and secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)"	Report #2+#3
4951	Manurewa Central School	4S Hill Road, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT	Larry Cimulious Education (pre-scrioor)	Report #2
4952	Manurewa East School	14S Scotts Road, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4953	Manurewa High School	67S Browns Road, Manurewa and 61 Browns Road	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT	"Educational Purposes - primary school (years 0 - 8) and secondary school (years 7 - 13) and may include Early Childhood Education (preschool)	Report #2+#3
4954	Manurewa Intermediate	76S Russell Road, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4955	Manurewa South School	37S Tawa Crescent, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4956	Manurewa West School	29S McKean Avenue, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4957	Maraetai Beach School	154S Maraetai Drive, Maraetai Beach	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2+#3 Report #2
4958 4959	Mayfield School (Auckland) Mellons Bay School	12S Pearl Baker Drive, Otara 140S Mellons Bay Road, Howick	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8)	ACCEPT ACCEPT		Report #2
4959	Mountain View School	81S Mountain Road, Mangere	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2+#1
4961	Nga Iwi School	60S Mascot Avenue, Mangere	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4963	Orere School	275S Orere Point Road	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4964 4965	Owairoa School Pakuranga College	85S Nelson Street, Howick 500S Pakuranga Road, Highland Park	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT ACCEPT	"Education Purposes - primary school (years 0 - 8) and secondary school (years 7 - 13) and may include	Report #2 Report #2+#3
			Early Childhood Education (preschool)		Early Childhood Education (pre-school)* Where any construction works for a project involve total or substantial demolition of, or modifications, to, a scheduled historic heritage place, any outline lan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a. consideration of attenative methods and/or appropriate intilization to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place, c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carriedout; and d. an assessment of the extent to which the construction works are required associated with overcoming safety concerns offset the values; associated with the scheduled historic heritage place. This condition shall not apply her respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply here there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	

Schedule of Decision Minister of Education
Schedule of Decision 8 Education Purpose Designations

ACCEPT

ACCEPT

Report #2

Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)

4966 Pakuranga Heights School 77S Udys Road, Pakuranga

4967 Pakuranga Intermediate 45S Reeves Road, Pakuranga

		FI	OPUSED AUCKLAND U	INITALL	LAN	
PAUP Designation #				Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
4968	Papatoetoe Central School	3175 Great South Road, Papatoetoe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT	Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage labec, any outline limit but is required shall incorporate; a.t. on, assessment of the effects on the historic heritage values of the scheduled historic heritage labec; b. a. a consideration of afternative methods and/or appropriate miligation to prevent or avoid diamage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carriedud; and d. an assessment of the extent to which the construction works are required to resirable to enable educational activities to be carriedud; and d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the construction works are necessary to address safety concerns and/or the values. associated with where we have a sociated with the scheduled historic heritage plac. This condition shall not apply him the proposed of the scheduled historic heritage plac. This condition shall not apply here there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.	Report #2
			Educational Purposes - Primary School (years 0 - 8) and may include			Report #2
4969 4970	Papatoetoe East School	1075 Tui Road, Papatoetoe 1385 Tui Road, Papatoetoe	Early Childhood Education (preschool)	ACCEPT	"Education Purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre-	Report #2+#3
4970	Papatoetoe High School Papatoetoe Intermediate	175 Motatau Road, Papatoetoe	Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 0 - 8)	ACCEPT	schooll"	Report #2
4972	Papatoetoe North School	25S Graeme Avenue, Papatoetoe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
4973	Papatoetoe South School	585 Milan Road, Papatoetoe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT	1. The following acoustic and related treatment measures shall be installed in any new or relocated, classrooms, liberains or halls or in any classrooms, liberains or halls or in any classrooms, liberains or halls that any classrooms, liberains or halls that are the subject of additions or alterations. (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom. Internal acoustic environment in each classroom, liberains and halls closed of Lidn 40dBA;	Report #2+#1
					(b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: designed to achieve indoor air temperatures not less than 16, degrees Celabia in winter and not greater than 27 degrees Celabia in Summer at 355 ambient design, conditions as published by the National Institute of Water and Atmospheric Research ("NIWA". INNIVA. Design Temperatures for Air Conditioning (degrees Celabia). Data Period 1991-2000): and capable of providing outdoor air ventilation at the rate of 8 lites of air per second per person for the maximum number of paced pable to be accommodated in any such room at one time ("the required ariflow".)—capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems, are used to satisfy the above temperature and outdoor air requirements, the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; orderwise complying with the New Zealand Standard IXS 4393.1990 Ventilation for Acceptable Indoor Air, and -capable of creating no more than Less 2584M in each classroom, no more than less (abdRin each classroom).	
					(c) in the case of hals either: (i) a mechanical ventilation system or mechanical ventilation systems for each half capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the half closed; enabling the outdoor airflow to be controlled across the range, from the maximum arthorism of whom to the rate of 8 litres of outdoor air per second per person for the maximum arthorism of occupants able to be accommodated in the half at one time; otherwise, complying with the New Zealand Sandardan XSS 34315; 3909 Ventilation for Acceptable indoor Aff Quality, and creating no more than teq 35dlk2 in each half, and no more than teq 40dlk4 in any hallways or, corridor. Notice levels from the mechanical system(s) half be measured to least 1 metre away from any diffuser, or (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second one person of outdoor air, and internal at temperatures in each half not greater than 27 degrees. Cestiva at 5% arabient design conditions as published by the National Institute of Waster & Atmospheric Cestiva, at 5% arabient design conditions as published by the National Institute of Waster & Atmospheric Cestiva, at 5% arabient design conditions as published by the National Institute of Waster & Atmospheric Cestiva, but any other sections of the conditions of the person of the person of the mechanical system (s) and no more than teq. 100001. The mechanical system shall create no more than teq. 35dlk in each half, and no more than teq. 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable indoor Air Quality.	
					2. Where Condition I requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council (an approved person 1, certifiving that, the proposed acoustic treatment and related ventilation measures are difficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and file in the in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clasue (a) of this condition (Condition 1), above, has been provided to the Council.	
4974	Panatoetne West School	24S Station Road, Papatoetoe	Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
4975	Pigeon Mountain School	25S Loloma Drive, Bucklands Beach	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8)	ACCEPT		Report #2
4976 4977	Point View School Proposed Primary School	25 Kilkenny Drive, Howick 51S Eugenia Rise, Manukau	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Primary School (year 0 - 8)	ACCEPT	withdrawn	Report #2
4978 4979	Elim Primary Botany Downs Secondary College	94S Golfland Drive, Howick 575S Chapel Road, Howick	Educational Purposes - Primary School (years 0 - 8) Educational Purposes - Secondary School (years 7 - 13)	ACCEPT ACCEPT		Report #2 Report #2
4979 4980	Puhinul School	116S Puhinui Road, Papatoetoe	Educational Purposse - Primary School (years $0 \cdot 8$) and may include Early Childhood Education (preschool)	ACCEPT	1. The following acousts: and related treatment measures shall be installed in any new or relocated classrooms, libraries or halfs or in any classrooms, libraries or halfs that are the subject of additions or alterations; in a Acoustic insulation and related wentfalton and/or air conditioning sectems to achieve an internal acoustic environment in each classroom, library and half with all external doors and windows of the classrooms, libraries and halfs is closed of Lift Addition. (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: desired to achieve indoor air temperatures not less than 16, degrees Cellus in winder and not practed than 27 degrees Cellus in Summer at 5% ambient design conditions as sublished by the National Institute of Water and Atmospheric Research ChiWAC HINWA. Design Temperatures for Air Conditioning Idegrees Cellusis, Data Rendo 1912-0000; and capable of providing outdoor air ventilation at the rate of 8 lites of air per second per person for the maximum number of secole able to be accommodated in any such room one time CThe regular darflow? In capable of enabling, in the case of classrooms of Braries in which only mechanical ventilation systems, are used to astisfy the above temperature and rootdoor air resuments, the outdoor air from the and and any controlled across the resulter admitted when all	Report #2+#1
					external doors and windows of the classroom or library are closed: .otherwise complying with the New. Zealand Standard MSS 4933:1990 vehitation for Acceptable Indoor Are, and. capable of creating no, more than lea 35dBA in each classroom, no more than lea 40dBA in each library, and no more than lea 4dBA na with blavay or corridor. Notice levels from the mechanical system(s) shall be measured at least 1, metre away from any diffuser.	

EDUCATION PURPOSE DESIGNATIONS PROPOSED AUCKLAND UNITARY PLAN

PAUP Common Name

Location (Address)

Designation Purpose

Decision of Minis

Annexure 3 - Changes to text - Site Specific Conditions

sion Report Referen

Report #2

(c) in the case of hals either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; -enablink the outdoor air(not be controlled aross the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum airflow down to the rate of 8 litres of outdoor air per second per person for outdoor air per second per person for the maximum airflow down to the rate of 8 litres of outdoor air per second per outdoor in Coullity, and - creating no more than lead 9816 in each hall, and nown the hate of 4086 in any hallwoor, coursidor. Noise levels from the mechanical system full she measured at least 1 metre away from any officiars. or, (ii) are conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 22 degrees, Celsius at 5% amonther design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA") INIWA. Design Temperatures for Air Conditioning (degrees Celsius). Data Period 1991-2000. The mechanical system is hall create to more than 163 didden any hallwoor or corridor. Note levels from the mechanical system) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NAS4 4303-1990 ventilation for Accerciate londor of Accentilation and Controlled Research ("NIWA") and the maximum of the levels from the mechanical system) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NAS4 4303-1990 ventilation for Accerciate londor of Accels and a shall be the second at least 1 metre away from the diffuser.

2. Where Condition 1 resuries the Minister to install acoustic treatment and related ventilation, measures the Minister shall obtain a certificate from a suitably qualified independent person (or personal normalises) that the proposed acoustic treatment and related ventilation measures are stifficient to achieve the Internal acoustic environment and ventilation or accordation in the condition and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall (a) provide the Council with a certificate from an approved person that the installation has been provided to the condition with a certificate from an approved person that the installation has been provided that the condition is the provident of the condition is the condition in the condition is the condition in the condition is the condition in the condition in the condition is the condition in the condition in the condition is the condition in the condition in the condition is the condition in the

4981 Randwick Park School

rick Park School 66S Riverton Drive, Manurewa bt North School 47S Diorella Drive, Manukau Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)

ACCEPT

ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT
ACCEPT

ACCEPT

1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls for in any classrooms, libraries or halls for that are the subject of additions or attentions. Is also classifications are related ventitation and/or air conditioning systems to achieve an internal acoustic environment in each classroom. Birary and half with all external doors and windows of the classrooms, libraries and half closed of this dollars.

(b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for cash classroom and library, that are -eleismed to achieve indoor air temperatures not less than 16 degrees. Celsius in winter and not greater than 27 degrees. Celsius in summer at 5% ambient design conditions as quidished by the National institute of Water and Atmospheric Research YNINAY (INWA). Design Temperatures for Art Conditioning (degrees Celsius), Data Period 1991-2000); and -capable of particular or air ventilation in the rate of 8 litres of a far are second per person for the maximum number of people able to be accommodated in any such room at one time! "The required airforw"]. capable of enabling, in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and coutdoor air requirements), the outdoor airforw to be, controlled across the ranse, from the maximum airflow capacity down to the required airflow with a stream of the controlled across the ranse, from the maximum airflow capacity down to the required airflow with the Nev Zealand Standard NSS 43331-980 Ventilation for Acceptable indoor Air and -capable of creation on more than test 4408A in each dissorroom, no more than test 4408A in each dissor

(cl in the case of halfs either. (i) a mechanical ventilation system or mechanical ventilation systems for each half caselule of - providing at least Lift liters of unifore air per source meter with all external doors and windows of the half cissed: - enabling the outdoor airflow to be controlled across the range, from the maniform airflow down to the rate of 81 liters of notificers are rescond ere personning to the maximum number of occupants able to be accommodated in the half at one time, otherwise complying with the New Zealand Standard IVS. 30(3): 1909 ventilation for Acceptable Indoor Art Quality, and - creating no more than less 35(812 in each half, and no more than less 40684 in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser, or, (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal six femeratures in each half out greater than 27 depress Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric

2. Where Condition I requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitable qualified independent person for personal norminate by the Minister and approved by the Council Era approved person'l Certifing that, the proposed acoustic treatment and related ventilation measures are sifficient to achieve the internal acoustic environment and ventilation or air conditioning measures, the Minister shall (a) provide the Council with a certificate from an approved enron that the installation has been property understaken in accordance with sound paractice, and (b) not be in breach of Condition I where the internal noise standards and related ventilation requirements are not me in each instance provided the relevant certificate required in sub-classe (a) of this condition (Condition 1), above, has been provided to the Council.

1983 1984	Riverhills School Riverina School	13S Waikaremoana Place, Pakuranga 30S Millen Avenue, Pakuranga	
1985	Robertson Road School	203S Robertson Road, Mangere	
1986	Rongomai School	20 Rongomai Road, Otara	
1987	Roscommon School	23S Burundi Avenue, Manurewa	
1988	Rowandale School	73S Rowandale Avenue, Manurewa	
1989	Shelly Park School	11S Sunnyview Avenue, Howick	
1990	Sir Douglas Bader Intermediate School	6S Court Town Close, Mangere	
1991	Sir Edmund Hillary Collegiate Senior Sch	2S Franklyne Road, Otara	
1992	Sir Keith Park School	33S Robertson Road, Mangere	
1993	Somerville Intermediate School	39S Somerville Road, Howick	
1994	Mary MacKillop School	10S McNaughton Avenue, Mangere	
1995	Sunny Hills School	16S Fordyce Avenue, Sunnyhills, Pakuranga	
1996	Sutton Park School	89S Vine Street, Mangere	
1997	Tangaroa College	(Haumia Way) 68S Dawson Road, Flat Bush	
1998	Te Kura Kaupapa Maori o Mangere	7S Comet Crescent, Mangere	
1999	Te Kura Akonga O Manurewa	21S Trounson Avenue, Manurewa	
5000	Te Matauranga	206 Finlayson Ave, Weymouth	
5001	Viscount School	65S Viscount Street, Mangere	
5002	Wakaaranga School	16S Butley Drive, Pakuranga	

	Report #2
	Report #2
	Report #2+#3
	Report #2
ducation Purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre- hool)"	Report #2+#3
would ucation Purposes - primary-school (years 0 - 8) and may include Early Childhood Education (pre-	Report #2+#3
ool special seriou (feats 6 15)	Report #2
	Report #2
	Report #2
	Report #2
ducation Purposes - kura kaupapa Maori (years 0 - 13) and may include Early Childhood Education	Report #2 Report #2+#3
re-school)"	Report #2+#3
	Report #2
	Report #2
	Report #2

PAUP Designation #	Common Name	Location (Address)	Designation Purpose	Decision of Minister	Annexure 3 - Changes to text - Site Specific Conditions	Decision Report Reference (s151(2) letter)
5003	Waterlea Public School	17S House Avenue, Mangere	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5004	Reremoana Primary School	15S Scotsmoor Drive, Wattle Downs	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5005	Weymouth Intermediate	44S Palmers Road, Weymouth	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5006	Weymouth School	516S Weymouth Road, Weymouth	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5007	Willowbank Primary School	56 Middlefield Dr, Manukau	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5008	Wiri Central School	23S Inverell Avenue, Manurewa	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5009	Wymondley Road School	77S Wymondley Road, Otara	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5010	Yendarra School	226S Bairds Road, Otara	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5011	Alfriston School	1373 Alfriston Road RD1 , Ardmore 2576	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5012	Ardmore School	599 Papakura-Clevedon Rd, Ardmore	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2+#3
5013	Conifer Grove School	70 Walter Strevens Drive, Conifer Grove, Takanini 2110	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5014	Cosgrove School	10 Cosgrave Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5015	Drury School	23-33 Young Cres, Drury	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2+#3
5016	Edmund Hillary School	67 Settlement Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5017	Hingaia Peninsula School	171 Hingaia Road, Hingaia	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5018	Kelvin Road School	76 Kelvin Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5019	Opaheke School	12A Tasman Drive, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5020	Papakura Central School	23 & 29 Ray Small Drive, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5021	Papakura High School	3 Willis Road, Papakura	Educational Purposes - Intermediate School (years 7 - 8) and may include Early Childhood Education (preschool)	ACCEPT	"Education Purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre- school)"	Report #2+#3
5022	Mansell Senior School	50 Settlement Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5023	Papakura Normal School	143 Porchester Road, Takanini 2110	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5024	Papakura South School	44-58 Beach Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5025	Park Estate School	38 Park Estate Road, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5026	Redhill School	14 Mack Place Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2+#3
5027	Rosehill College	5-11 Edinburgh Ave, Papakura	Educational Purposes - Primary School (years 0 - 8), Secondary School	ACCEPT		Report #2
	-		(years 7 - 13) and may include Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include			Report #2
5028	Takanini School	39 Takanini School Road, TAKANINI 2112	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5029	Ararimu School	7 Steel Road, Ararimu	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5030	Awhitu District School	14 Matakawau Rd, R D 4 Waiuku	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5031	Bombay School	35 Paparata Rd, Bombay	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5032	Buckland School	72 George Crescent, Buckland	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5033	Glenbrook School	459 Glenbrook Waiuku Rd, Glenbrook	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5034	Hunua School	43 Lockwood Road, RD3, Papakura	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5035	Karaka School	12 Blackbridge Road, Papakura	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5036	Mauku School Paerata School	389 Union Road R D 3, Mauku	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5037		35 Tuhimata Road, Paerata	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5038 5039	Paparimu School Parkside School	3 Matheson Rd, R D 3 Papakura 180 Wellington Street, Pukekohe	Early Childhood Education (preschool) Educational Puruposes - Special School (years 0 - 13)	ACCEPT ACCEPT		Report #2
5040	Patumahoe Primary School	38 Patumahoe Road, Patumahie	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5041	Waiuku Primary School	10 France Street, Waiuku	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5042	Pukekohe East School	137 - 143 Runciman Road, Pukekohe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5043	Pukekohe Hill School	12 Green Lane, Pukekohe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5044	Pukekohe Intermediate	44 Queen Street, Pukekohe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5045	Pukekohe North School	29 Princes Street, Pukekohe	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5046	Puni School	357 Waiuku Rd, RD3, Puni	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5047	Ramarama School	126 Ararimu Rd, R D 3, Drury	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5048	Sandspit Road School	60 Sandspit Rd, Waiuku	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5049	Pukekohe High School	14 Harris Street, Pukekohe	Educational Purposes - Secondary School (years 7 - 13)	ACCEPT	"Education Purposes - primary school (years 0-6) <u>secondary school (years 7 - 13)</u> and may include Early Childhood Education (pre-school)"	Report #2+#3
5050	Te Hihi School	767 - 771 Linwood Rd, Papakura	Educational Purposes - Primary School (years 0 - 8) and may include Early Childhood Education (preschool)	ACCEPT		Report #2
5051 5052	Waiuku College Valley School	43 Constable Rd, Waiuku 42 East Street. Pukekohe	Educational Purposes - Secondary School (years 7 - 13) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT ACCEPT		Report #2 Report #2
5052	View Road School	16 View Road, Waluku	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2+#3
5054	Waiau Pa School	571 Waiau Pa Road, Kingseat	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
5055	Waipipi School	88A Creamery Rd, R D 3, Waiuku	Early Childhood Education (preschool) Educational Purposes - Primary School (years 0 - 8) and may include	ACCEPT		Report #2
			Early Childhood Education (preschool)			

Changes to text – standard conditions Tracked Changes and Clean Versions

Standard Conditions for All Education Designations

The Minister requires each designation to be subject to the following explanatory notes and conditions:

Explanatory Notes

- 1. Each of these designations enables the establishment of a school that is able but is not required to cater for all the school years listed in the designation description.
- **2.** "Educational Purposes" for the purposes of these designations shall, in the absence of specific conditions to the contrary:
 - (i) Enable the use of the facilities on the designated site by and for the educational benefit of any school age students (ie: years 0 to 13) regardless of whether they are enrolled at any institution located on that designated site.
 - (ii) Enable the provision of supervised care and study opportunities for students outside school hours in school facilities
 - (iii) Enable the provision of community education (eg: night classes for adults) outside school hours in school facilities
 - (iv) Include but not be limited to the provision of academic, sporting, social and cultural education including through:
 - Formal and informal recreational, sporting and outdoor activities and competitions whether carried out during or outside school hours;
 - Formal and informal cultural activities and competitions whether carried out during or outside school hours; and
 - The provision of specialist hubs and units (including language immersion unites and teen parent units) for students with particular educational requirements or special needs.
 - (v) Enable the use of facilities for purposes associated with the education of students including school assemblies, functions, fairs and other gatherings whether carried out during or outside school hours.
 - (vi) Enable the provision of associated administrative services; carparking and vehicle manoeuvring; and health, social service and medical services (including dental clinics and sick bays).
 - (vii) Enable the housing on site for staff members whose responsibilities require them to live on site (eg: school caretaker) and their families.
- **3.** Where any standard condition conflicts with a site specific condition, the site specific condition shall take precedence.

Conditions

1. Height in Relation to Boundary

Any new building or building extension (excluding goal posts and similar structures) shall comply with the height in relation to boundary controls [attached to this Schedule] from any adjoining land zoned primarily for a residential purpose, or zoned for an open space/outdoor recreation purpose.

2. Noise

The <u>noise (rating) level arising from the</u> operation of the school <u>mustshall</u> comply with the following noise <u>levelslimits</u> <u>when measured withinat</u> the boundary of any <u>residentially zoned</u> site, or within the notional boundary of any <u>site in any rural zone</u> <u>zoned primarily for residential purpose</u>, or in the case of a <u>rural zone</u>, at a point 20m from the facade of any dwelling, or the site boundary, whichever is closest to the dwelling:

DAYTIME	NOISE LEVEL (Leg) dBA
Mon - Sun, 7.00am - 10.00pm	55
(0700 – 2200)	
Mon - Sun, 10.00pm - 7.00am	4 5
(2200 – 700)	

L_{MAX} = 75dBA

<u>Time</u>	Noise level
Monday to Saturday 7am to 10pm	EE AD I
Sunday 9am to 6pm	<u>55dB L_{Aeq}</u>
All other times	45 dB L _{Aeq} 75 dB L _{AFmax}

These noise <u>limitslevels</u> <u>doshall</u> not apply to noise from <u>standard</u> school <u>sports</u> <u>and school</u> <u>eutdoor</u> recreational activities occurring between <u>8am</u>0800 and 6pm1800 hours Monday to Saturday.

Noise levels shall be measured and assessed in accordance with NZS 6801:2008 "Measurement of Environmental Sound" and NZS 6802:2008 "Environmental Noise".

Noise from construction shall not exceed the limits recommended in, and shall be measured in accordance with, New Zealand Standards NZS 6803:1999 "Acoustics – Construction Noise".

3. On-Site Car Parking – Schools

Additional on-site car parking shall be provided at the rate of two carparks per new classroom or classroom equivalent, except where the council accepts, on the basis of a specifically commissioned parking study by an appropriately qualified engineer and/or transportation planner, that a lesser level is appropriate. For the avoidance of doubt, this condition shall only apply where there is a net increase in the number of classrooms or classroom equivalents.

4. On-Site Car Parking – Early Childhood Education (Preschool)

In addition to any car parking required for the school, on-site car parking for early childhood education (preschool) shall be provided at the rate of one car park per every 10 children the facility is licensed or designed to accommodate, plus one per each full time equivalent staff member required for the license or design capacity of the centre, except where the Council accepts, on the basis of a specifically commissioned parking study by an appropriately qualified engineer and/or transportation planner, that a lesser level is appropriate.

5. Scheduled Trees

No tree or group of trees specifically scheduled in the District Plan may be cut, damaged, altered, injured, destroyed or partly destroyed, or works undertaken within the drip line of any such tree(s), other than in accordance with an outline plan submitted and processed in accordance with the s176A of the Resource Management Act 1991. This condition shall not apply to minor trimming or maintenance undertaken by hand operated secateurs or pruning shears in accordance with accepted arboricultural practice, or where removal or trimming is required to safeguard life or property.

6. Scheduled Heritage Buildings

Where any construction works for a project involve total or substantial demolition of, or modifications to, a schedule historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.


This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the construction works are in accordance with this conservation or similar plan.

7. 6. Outline Plans


That an outline plan of works shall not be required for:

- a) Any internal building works other than those that result in a net increase in the number of classrooms or classroom equivalents;
- b) General building maintenance and repair work including but not limited to re-painting, re-cladding and re-roofing;
- c) Installing, modifying and removing playground furniture and sports structures (e.g. goal posts);
- d) Amending any internal pedestrian circulation routes/pathways;
- e) Installing, maintaining or repairing any in ground infrastructure services such as stormwater, sewerage and water lines and connections, including any ancillary earthworks;
- f) Provision of landscaping and gardens, provided that it does not conflict with any designation condition or alter landscaping required as mitigation as part of an outline plan for other works; or
- g) General site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.

Recession Plane Indicator



Recession Plan Cross Section



Standard Conditions for All Education Designations

Explanatory Notes

- 1. Each of these designations enables the establishment of a school that is able but is not required to cater for all the school years listed in the designation description.
- **2.** "Educational Purposes" for the purposes of these designations shall, in the absence of specific conditions to the contrary:
 - (viii) Enable the use of the facilities on the designated site by and for the educational benefit of any school age students (ie: years 0 to 13) regardless of whether they are enrolled at any institution located on that designated site.
 - (ix) Enable the provision of supervised care and study opportunities for students outside school hours in school facilities
 - (x) Enable the provision of community education (eg: night classes for adults) outside school hours in school facilities
 - (xi) Include but not be limited to the provision of academic, sporting, social and cultural education including through:
 - Formal and informal recreational, sporting and outdoor activities and competitions whether carried out during or outside school hours;
 - Formal and informal cultural activities and competitions whether carried out during or outside school hours; and
 - The provision of specialist hubs and units (including language immersion unites and teen parent units) for students with particular educational requirements or special needs.
 - (xii) Enable the use of facilities for purposes associated with the education of students including school assemblies, functions, fairs and other gatherings whether carried out during or outside school hours.
 - (xiii) Enable the provision of associated administrative services; carparking and vehicle manoeuvring; and health, social service and medical services (including dental clinics and sick bays).
 - (xiv) Enable the housing on site for staff members whose responsibilities require them to live on site (eg: school caretaker) and their families.
- **3.** Where any standard condition conflicts with a site specific condition, the site specific condition shall take precedence.

Conditions

1. Height in Relation to Boundary

Any new building or building extension (excluding goal posts and similar structures) shall comply with the height in relation to boundary controls [attached to this Schedule] from any adjoining land zoned primarily for a residential purpose, or zoned for an open space/outdoor recreation purpose.

2. Noise

The noise (rating) level arising from the operation of the school must comply with the following noise levels when measured within the boundary of any residentially zoned site, or within the notional boundary of any site in any rural zone:

Noise level	
EE4D I	
55dB L _{Aeq}	
45 dB L _{Aeq} 75 dB L _{AFmax}	

These noise limits do not apply to noise from school sports and school recreational activities occurring between 8am and 6pm Monday to Saturday.

Noise levels shall be measured and assessed in accordance with NZS 6801:2008 "Measurement of Environmental Sound" and NZS 6802:2008 "Environmental Noise".

Noise from construction shall not exceed the limits recommended in, and shall be measured in accordance with, New Zealand Standards NZS 6803:1999 "Acoustics – Construction Noise".

3. On-Site Car Parking – Schools

Additional on-site car parking shall be provided at the rate of two carparks per new classroom or classroom equivalent, except where the council accepts, on the basis of a specifically commissioned parking study by an appropriately qualified engineer and/or transportation planner, that a lesser level is appropriate. For the avoidance of doubt, this condition shall only apply where there is a net increase in the number of classrooms or classroom equivalents.

4. On-Site Car Parking – Early Childhood Education (Preschool)

In addition to any car parking required for the school, on-site car parking for early childhood education (preschool) shall be provided at the rate of one car park per every 10 children the facility is licensed or designed to accommodate, plus one per each full time equivalent staff member required for the license or design capacity of the centre, except where the Council accepts, on the basis of a specifically commissioned parking study by an appropriately qualified engineer and/or transportation planner, that a lesser level is appropriate.

5. Scheduled Trees


No tree or group of trees specifically scheduled in the District Plan may be cut, damaged, altered, injured, destroyed or partly destroyed, or works undertaken within the drip line of any such tree(s), other than in accordance with an outline plan submitted and processed in accordance with the s176A of the Resource Management Act 1991. This condition shall not apply to minor trimming or maintenance undertaken by hand operated secateurs or pruning shears in accordance with accepted arboricultural practice, or where removal or trimming is required to safeguard life or property.

6. Outline Plans


That an outline plan of works shall not be required for:

- a) Any internal building works other than those that result in a net increase in the number of classrooms or classroom equivalents;
- b) General building maintenance and repair work including but not limited to re-painting, re-cladding and re-roofing;
- c) Installing, modifying and removing playground furniture and sports structures (e.g. goal posts);
- d) Amending any internal pedestrian circulation routes/pathways;
- e) Installing, maintaining or repairing any in ground infrastructure services such as stormwater, sewerage and water lines and connections, including any ancillary earthworks;
- f) Provision of landscaping and gardens, provided that it does not conflict with any designation condition or alter landscaping required as mitigation as part of an outline plan for other works; or
- g) General site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.

Recession Plane Indicator



Recession Plan Cross Section



Changes to text – site specific conditions Tracked Changes and Clean Versions

North and West

4502 Albany Senior High School

Designation Number	4502
Requiring Authority	Minister of Education
Location	536 and 546 Albany Highway, Albany
Rollover Designation	Yes
Legacy Reference	Designation 17, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - senior high school (years 11 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The roll of the school shall not exceed 1,500 pupils.

Buildings and **Site** Layout

- 2. All <u>buildings</u> and structures shall comply with the following development controls:
- a. <u>Height in relation to boundary</u>: no part of any building shall infringe a <u>height in relation to boundary</u> control from any adjacent land zoned residential of 2.5m plus the shortest horizontal distance between that part of the building and any site boundary.
- b. The <u>height</u> of all <u>buildings</u> (excluding any goal posts associated with sporting activities), shall be limited to the height limits shown on the concept plan attached to this designation.
- c. Minimum building setbacks: From the Albany Highway boundary as at 1 June 2007 5m; Side and Rear boundaries 1.2m (includes unformed <u>road</u> on southwest boundary).
- d. Maximum <u>building coverage</u>: 35%

e. Minimum permeable area: 30%

Transportation and Traffic

- 3. That the School <u>Travel Plan</u> being developed by the Requiring Authority (as a component of the Albany Senior High School project) to actively promote the Traffic Demand Management (TDM) targets for travel modes other than by private vehicles and thereby mitigate the impact of school traffic on Albany Highway, be developed in consultation with Council officers. A preliminary <u>travel plan</u>, shall be prepared prior to occupation of the <u>site</u> for academic, and shall be reviewed and updated annually. The <u>Travel Plan</u> shall be developed in conjunction with the School, Auckland Transport and the Council as part of an overall Integrated Transport plan that covers the needs of all educational institutes within the Albany Basin.
- 4. The Requiring Authority and the School Board of Trustees shall (i) monitor school related

traffic and parking in the vicinity of the school, and (ii) resource, develop, review and if necessary amend the <u>Travel Plan</u> for the school in consultation with the Council to mitigate real and potential adverse traffic effects as and when the school becomes operational. The monitoring of parking shall have particular regard to any overspill of car parking from the school to the neighbouring residential area of The Landing.

Ecological and Arboriculture

- 5. That within Area C as shown on the concept plan attached to this designation, there shall be no removal of any tree unless such a tree is dead, suffering from an untreatable disease which has caused or will cause a significant decline in its health, or is causing significant risk to people or property. A tree shall be deemed to be within Area C if more than 50% of the trunk is located within this area. No <u>buildings</u> shall be erected within Area C. For the purposes of this condition, the term 'building' means any permanent structure exceeding 0.5m in <u>height</u>. Minor structures associated with the use of tracks such as steps, boardwalks and directional/educational signage not exceeding 0.5m in <u>height</u> shall be allowed under this condition, provided that such works are undertaken in a manner that does not detrimentally affect the health of any trees.
- 6. The Requiring Authority shall undertake the establishment of 5ha revegetation plantings to off-set the loss of vegetation. This may include new areas of planting and/or enrichment planting of existing planted areas that would benefit from increased planting density. Such planting will be undertaken within the Lucas Creek catchment and, where proposed on reserve land, will meet the approval of [the appropriate Council officer]. In recognition that suitable planting locations may be owned by a third Party (e.g. reserve land administered by the Auckland Council), a cash contribution offered to the Auckland, Council equivalent to the actual cost of undertaking the necessary plantings (on a pro rata basis for any area less then 5ha) shall be deemed to satisfy this condition should the Requiring Authority be unable to reasonably undertake the required planting due to permissions being declined by third parties for suitable locations within the Lucas Creek Catchment. The Requiring Authority shall be required to show it has taken all reasonable steps in trying to secure access to suitable locations for planting before offering any cash contribution in lieu of works to the Auckland Council.
- 7. The Requiring Authority shall undertake restoration plantings within the cleared tracks within the bush area that were created in order to facilitate the geo-tech investigations (although only where these plantings are outside the footprint of the school <u>buildings</u> sports fields and school operational areas) with the exception of retaining a fire egress track as indicated on the concept plan submitted with the designation which may potentially be required depending on the final design solution adopted.
- 8. The Requiring Authority shall undertake, dense planting of the edges of the remaining bush with pioneer "edge" type species in order to protect any remaining 'interior' habitats and communities from edge effects.

- 9. The Requiring Authority shall undertake the planting of tree species that would be attractive to birds along the <u>frontage</u> between the school and Albany Highway (e.g. Puriri and Kowhai), in order to maximise the "invitation area" on the school side of the Oteha Stream wildlife corridor.
- 10. A comprehensive salvage operation is to be undertaken with regard to lizards (both skinks and geckos) prior to the commencement of any vegetation removal. The methods to be employed in this salvage operation will need to be prepared by a suitably qualified and experienced herpetologist, as will the actual salvage operation itself.
- 11. The Requiring Authority shall undertake the preparation of a combined Landscape Mitigation, Tree Protection and Ecological Management Plan (LMTPEMP) prepared by suitably qualified and experienced landscape architect, arborist end ecologists, which shall be submitted to the Auckland Council as part of the first Outline Plan of Works. This Plan(s) shall demonstrate achievement of conditions 11 -16 inclusive. It shall have regard to:
- a. The Freshwater Ecological Values Report from SKM dated October 2007;
- b. The evidence of Mr Craig Douglas Bishop report in the matter of the Resource Management Act 1991 and in the matter of a notice of requirements by the Minister of Education regarding the Albany Senior High School dated September 2007; and
- c. The Peer Review of Assessment of Ecological Effects report prepared by Boffa Miskell dated October 2007.

12. The LMTPEMP will include:

- a. Details of how the significant trees on the <u>site</u> which are in close proximity to proposed development are to be protected from damage or accidental spillage during the construction paned and supplied with adequate air and water to their root zones. This should include on monitoring of water quality and quantity to ensure changes in available soil moisture levels around the trees are minimized and irrigation undertaken if necessary. These trees are identified in the Arborlab Report (25 September 2006) as trees 6, 7, 8, 10, 11, 12 and 12a (herein referred to as 'Significant Trees') and the group of trees scheduled under the North Shore section of the District Plan as identified in the District Plan as No. 94 and identified in the Arborlab Report as T22 (1 x Kauri), T23 (1 x Rimu) and T24 (1 x Totara).
- b. A report from a qualified Arborist attesting to the effects of the proposed works on these trees will be submitted to Auckland Council for assessment prior to works commencing.
- c. A requirement that no <u>site</u> works or hard surfacing shall occurring within 10m of the centre of any Scheduled Trees on sites identified in the District Plan as at 1 June 2007 as No. 94 and identified in the Arborlab Report submitted with the notice of requirement as T22 (1 x Kauri), T23 (1 x Rimu) and T24 (1 x Totara), provided that minor low impact works within this area may occur with the express written permission of the Council,
- d. A requirement that no <u>site</u> works shall occur that have a detrimental effect on any trees or vegetation on neighbouring properties, without their owners and the Auckland Council's express written permission and mitigation to the approval of Auckland Council.
- e. A schedule of the species, number of plants and sizes at time of planting for both

revegetation areas and amenity planting.

- f. A landscape plan shall include a date for implementation of the planting which shall be prior to the end of the planting season (May to September) following the completion of <u>site</u> works. The planting must be maintained in perpetuity on the <u>site</u> being used for education purposes. g. An implementation and maintenance programme, including a weed management plan for the <u>site</u> (detailing a minimum of three (3) years following initial planting). The plan shall include details or target weed species (actual and likely), methods of eradication, DAA-
- h. The means by which twice-annual weed and animal pest/predator monitoring will be undertaken, and the means by which the result will trigger appropriate control activities.


004682-94-43-V5 ground preparation for the replanting, replacement species types, replacement plant numbers and replacement plant sizes (at the time of planting).

- i. The means by which students will be encouraged to participate in the care of this bush, with particular regard to formal educational opportunities and the school curriculum.
- j. The means by which student access into the bush area will be controlled.
- 13. All <u>stormwater</u>, <u>wastewater</u> and stream alteration plans shall be prepared in consultation with the Auckland Council Arborist and a suitably qualified Arborist for the Minister of Education and final plans shall not have any significant detrimental effects on the significantly Scheduled Trees.
- "14. The war memorial plinth located between the trees identified in Condition 19Condition 11 above shall be retained in its existing position as at 1 June 2007
- 15. The stone bollards adjacent to the <u>road frontage</u> that were erected as a World War II memorial to past pupils shall be retained on <u>site</u>, but may be relocated from their existing positions.
- 16. The Old Albany School Building scheduled as a building of heritage significance in the District Plan as at 1 June 2007 may be relocated within the designation as part of any school development, but may not be demolished or removed from the <u>site</u> (except that it may be temporarily removed from the <u>site</u> during construction of the school for the purposes of protection from construction activity and/restoration). The details of how this building will be reinstated shall be detailed in any Outline Plan of Works involving relocation of this building. This condition shall only apply to the core of the building as it stood in October 1938, and not the more recent additions.
- 17. A minimum of one parking space for every 10 pupils aged 16 or over, plus one for every employee shall be provided on-<u>site</u>, to a maximum of 300 spaces. For the avoidance of doubt, these parking spaces shall include temporary spaces for drop off and pick up of students.
- 18. Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled

historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

Albany Senior High School Concept Plan



4502 Albany Senior High School

Designation Number	4502
Requiring Authority	Minister of Education
Location	536 and 546 Albany Highway, Albany
Rollover Designation	Yes
Legacy Reference	Designation 17, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - senior high school (years 11 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The roll of the school shall not exceed 1,500 pupils.

Buildings and **Site** Layout

- 2. All <u>buildings</u> and structures shall comply with the following development controls:
- a. <u>Height in relation to boundary</u>: no part of any building shall infringe a <u>height in relation to boundary</u> control from any adjacent land zoned residential of 2.5m plus the shortest horizontal distance between that part of the building and any site boundary.
- b. The <u>height</u> of all <u>buildings</u> (excluding any goal posts associated with sporting activities), shall be limited to the height limits shown on the concept plan attached to this designation.
- c. Minimum building setbacks: From the Albany Highway boundary as at 1 June 2007 5m; Side and Rear boundaries 1.2m (includes unformed <u>road</u> on southwest boundary).
- d. Maximum <u>building coverage</u>: 35%

e. Minimum permeable area: 30%

Transportation and Traffic

- 3. That the School <u>Travel Plan</u> being developed by the Requiring Authority (as a component of the Albany Senior High School project) to actively promote the Traffic Demand Management (TDM) targets for travel modes other than by private vehicles and thereby mitigate the impact of school traffic on Albany Highway, be developed in consultation with Council officers. A preliminary <u>travel plan</u>, shall be prepared prior to occupation of the <u>site</u> for academic, and shall be reviewed and updated annually. The <u>Travel Plan</u> shall be developed in conjunction with the School, Auckland Transport and the Council as part of an overall Integrated Transport plan that covers the needs of all educational institutes within the Albany Basin.
- 4. The Requiring Authority and the School Board of Trustees shall (i) monitor school related

traffic and parking in the vicinity of the school, and (ii) resource, develop, review and if necessary amend the <u>Travel Plan</u> for the school in consultation with the Council to mitigate real and potential adverse traffic effects as and when the school becomes operational. The monitoring of parking shall have particular regard to any overspill of car parking from the school to the neighbouring residential area of The Landing.

Ecological and Arboriculture

- 5. That within Area C as shown on the concept plan attached to this designation, there shall be no removal of any tree unless such a tree is dead, suffering from an untreatable disease which has caused or will cause a significant decline in its health, or is causing significant risk to people or property. A tree shall be deemed to be within Area C if more than 50% of the trunk is located within this area. No <u>buildings</u> shall be erected within Area C. For the purposes of this condition, the term 'building' means any permanent structure exceeding 0.5m in <u>height</u>. Minor structures associated with the use of tracks such as steps, boardwalks and directional/educational signage not exceeding 0.5m in <u>height</u> shall be allowed under this condition, provided that such works are undertaken in a manner that does not detrimentally affect the health of any trees.
- 6. The Requiring Authority shall undertake the establishment of 5ha revegetation plantings to off-set the loss of vegetation. This may include new areas of planting and/or enrichment planting of existing planted areas that would benefit from increased planting density. Such planting will be undertaken within the Lucas Creek catchment and, where proposed on reserve land, will meet the approval of [the appropriate Council officer]. In recognition that suitable planting locations may be owned by a third Party (e.g. reserve land administered by the Auckland Council), a cash contribution offered to the Auckland, Council equivalent to the actual cost of undertaking the necessary plantings (on a pro rata basis for any area less then 5ha) shall be deemed to satisfy this condition should the Requiring Authority be unable to reasonably undertake the required planting due to permissions being declined by third parties for suitable locations within the Lucas Creek Catchment. The Requiring Authority shall be required to show it has taken all reasonable steps in trying to secure access to suitable locations for planting before offering any cash contribution in lieu of works to the Auckland Council.
- 7. The Requiring Authority shall undertake restoration plantings within the cleared tracks within the bush area that were created in order to facilitate the geo-tech investigations (although only where these plantings are outside the footprint of the school <u>buildings</u> sports fields and school operational areas) with the exception of retaining a fire egress track as indicated on the concept plan submitted with the designation which may potentially be required depending on the final design solution adopted.
- 8. The Requiring Authority shall undertake, dense planting of the edges of the remaining bush with pioneer "edge" type species in order to protect any remaining 'interior' habitats and communities from edge effects.

- 9. The Requiring Authority shall undertake the planting of tree species that would be attractive to birds along the <u>frontage</u> between the school and Albany Highway (e.g. Puriri and Kowhai), in order to maximise the "invitation area" on the school side of the Oteha Stream wildlife corridor.
- 10. A comprehensive salvage operation is to be undertaken with regard to lizards (both skinks and geckos) prior to the commencement of any vegetation removal. The methods to be employed in this salvage operation will need to be prepared by a suitably qualified and experienced herpetologist, as will the actual salvage operation itself.
- 11. The Requiring Authority shall undertake the preparation of a combined Landscape Mitigation, Tree Protection and Ecological Management Plan (LMTPEMP) prepared by suitably qualified and experienced landscape architect, arborist end ecologists, which shall be submitted to the Auckland Council as part of the first Outline Plan of Works. This Plan(s) shall demonstrate achievement of conditions 11 -16 inclusive. It shall have regard to:
- a. The Freshwater Ecological Values Report from SKM dated October 2007;
- b. The evidence of Mr Craig Douglas Bishop report in the matter of the Resource Management Act 1991 and in the matter of a notice of requirements by the Minister of Education regarding the Albany Senior High School dated September 2007; and
- c. The Peer Review of Assessment of Ecological Effects report prepared by Boffa Miskell dated October 2007.

12. The LMTPEMP will include:

- a. Details of how the significant trees on the <u>site</u> which are in close proximity to proposed development are to be protected from damage or accidental spillage during the construction paned and supplied with adequate air and water to their root zones. This should include on monitoring of water quality and quantity to ensure changes in available soil moisture levels around the trees are minimized and irrigation undertaken if necessary. These trees are identified in the Arborlab Report (25 September 2006) as trees 6, 7, 8, 10, 11, 12 and 12a (herein referred to as 'Significant Trees') and the group of trees scheduled under the North Shore section of the District Plan as identified in the District Plan as No. 94 and identified in the Arborlab Report as T22 (1 x Kauri), T23 (1 x Rimu) and T24 (1 x Totara).
- b. A report from a qualified Arborist attesting to the effects of the proposed works on these trees will be submitted to Auckland Council for assessment prior to works commencing.
- c. A requirement that no <u>site</u> works or hard surfacing shall occurring within 10m of the centre of any Scheduled Trees on sites identified in the District Plan as at 1 June 2007 as No. 94 and identified in the Arborlab Report submitted with the notice of requirement as T22 (1 x Kauri), T23 (1 x Rimu) and T24 (1 x Totara), provided that minor low impact works within this area may occur with the express written permission of the Council,
- d. A requirement that no <u>site</u> works shall occur that have a detrimental effect on any trees or vegetation on neighbouring properties, without their owners and the Auckland Council's express written permission and mitigation to the approval of Auckland Council.
- e. A schedule of the species, number of plants and sizes at time of planting for both


revegetation areas and amenity planting.

- f. A landscape plan shall include a date for implementation of the planting which shall be prior to the end of the planting season (May to September) following the completion of <u>site</u> works. The planting must be maintained in perpetuity on the <u>site</u> being used for education purposes. g. An implementation and maintenance programme, including a weed management plan for the <u>site</u> (detailing a minimum of three (3) years following initial planting). The plan shall
- the <u>site</u> (detailing a minimum of three (3) years following initial planting). The plan shall include details or target weed species (actual and likely), methods of eradication, DAA-004682-94-43-V5 ground preparation for the replanting, replacement species types, replacement plant numbers and replacement plant sizes (at the time of planting).
- h. The means by which twice-annual weed and animal pest/predator monitoring will be undertaken, and the means by which the result will trigger appropriate control activities.
- i. The means by which students will be encouraged to participate in the care of this bush, with particular regard to formal educational opportunities and the school curriculum.
- j. The means by which student access into the bush area will be controlled.
- 13. All <u>stormwater</u>, <u>wastewater</u> and stream alteration plans shall be prepared in consultation with the Auckland Council Arborist and a suitably qualified Arborist for the Minister of Education and final plans shall not have any significant detrimental effects on the significantly Scheduled Trees.
- 14. The war memorial plinth located between the trees identified in Condition 11 above shall be retained in its existing position as at 1 June 2007
- 15. The stone bollards adjacent to the <u>road frontage</u> that were erected as a World War II memorial to past pupils shall be retained on <u>site</u>, but may be relocated from their existing positions.
- 16. The Old Albany School Building scheduled as a building of heritage significance in the District Plan as at 1 June 2007 may be relocated within the designation as part of any school development, but may not be demolished or removed from the <u>site</u> (except that it may be temporarily removed from the <u>site</u> during construction of the school for the purposes of protection from construction activity and/restoration). The details of how this building will be reinstated shall be detailed in any Outline Plan of Works involving relocation of this building. This condition shall only apply to the core of the building as it stood in October 1938, and not the more recent additions.
- 17. A minimum of one parking space for every 10 pupils aged 16 or over, plus one for every employee shall be provided on-<u>site</u>, to a maximum of 300 spaces. For the avoidance of doubt, these parking spaces shall include temporary spaces for drop off and pick up of students.
- 18. Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate: a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place; b. a consideration of alternative methods and/or appropriate

mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place; c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place. This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place. This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

Albany Senior High School Concept Plan



4506 Belmont Intermediate

Designation Number	4506
Requiring Authority	Minister of Education
Location	188 Lake Road, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 52, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8). Educational Purposes - Intermediate School (years 7 - 8)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4506 Belmont Intermediate

Designation Number	4506
Requiring Authority	Minister of Education
Location	188 Lake Road, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 52, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational Purposes - Intermediate School (years 7 - 8)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4507 Belmont School

Designation Number	4507
Requiring Authority	Minister of Education
Location	3A Harrison Avenue, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 56, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to and no lapse date

Purpose

Educational Purposes - Intermediate-Primary School (years 7<u>0</u> - 8)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4507 Belmont School

Designation Number	4507
Requiring Authority	Minister of Education
Location	3A Harrison Avenue, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 56, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to and no lapse date

Purpose

Educational Purposes - Primary School (years 0 - 8)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4510 Birkdale Primary School

Designation Number	4510
Requiring Authority	Minister of Education
Location	10 Salisbury Road, Birkdale
Rollover Designation	Yes
Legacy Reference	Designation 24, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation. Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4510 Birkdale Primary School

Designation Number	4510
Requiring Authority	Minister of Education
Location	10 Salisbury Road, Birkdale
Rollover Designation	Yes
Legacy Reference	Designation 24, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation plan or similar plan.

Attachments

4511 Birkenhead College

Designation Number	4511
Requiring Authority	Minister of Education
Location	140 Birkdale Road, Birkdale
Rollover Designation	Yes
Legacy Reference	Designation 23, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4511 Birkenhead College

Designation Number	4511
Requiring Authority	Minister of Education
Location	140 Birkdale Road, Birkdale
Rollover Designation	Yes
Legacy Reference	Designation 23, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4533 Northcote College

Designation Number	4533
Requiring Authority	Minister of Education
Location	1 Kauri Glen Road, Northcote
Rollover Designation	Yes
Legacy Reference	Designation 6, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) <u>and may include Early Childhood Education</u> (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place;
 b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4533 Northcote College

Designation Number	4533	
Requiring Authority	Minister of Education	
Location	1 Kauri Glen Road, Northcote	
Rollover Designation	Yes	
Legacy Reference	Designation 6, Auckland Council District Plan (North Shore Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. an assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4534 Northcote Intermediate

Designation Number	4534
Requiring Authority	Minister of Education
Location	145-157 Lake Road, Northcote
Rollover Designation	Yes
Legacy Reference	Designation 4, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4534 Northcote Intermediate

Designation Number	4534
Requiring Authority	Minister of Education
Location	145-157 Lake Road, Northcote
Rollover Designation	Yes
Legacy Reference	Designation 4, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4535 Northcote School

Designation Number	4535
Requiring Authority	Minister of Education
Location	69 Onewa Road, Northcote
Rollover Designation	Yes
Legacy Reference	Designation 5, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic</u> heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4535 Northcote School

Designation Number	4535
Requiring Authority	Minister of Education
Location	69 Onewa Road, Northcote
Rollover Designation	Yes
Legacy Reference	Designation 5, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4548 Takapuna Grammar School

Designation Number	4548
Requiring Authority	Minister of Education
Location	210 Lake Road, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 54, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic</u> heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> <u>enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4548 Takapuna Grammar School

Designation Number	4548
Requiring Authority	Minister of Education
Location	210 Lake Road, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 54, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4550 Takapuna School

Designation Number	4550
Requiring Authority	Minister of Education
Location	23 Auburn Street, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 55, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4550 Takapuna School

Designation Number	4550
Requiring Authority	Minister of Education
Location	23 Auburn Street, Takapuna
Rollover Designation	Yes
Legacy Reference	Designation 55, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4556 Wairau Valley School

Designation Number	4556
Requiring Authority	Minister of Education
Location	138 Chivalry Road, Glenfield
Rollover Designation	Yes
Legacy Reference	Designation 39, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) special school (yrs 0 - 13)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4556 Wairau Valley School

Designation Number	4556
Requiring Authority	Minister of Education
Location	138 Chivalry Road, Glenfield
Rollover Designation	Yes
Legacy Reference	Designation 39, Auckland Council District Plan (North Shore Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - special school (yrs 0 - 13)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4569 Kaukapakapa School

Designation Number	4569
Requiring Authority	Minister of Education
Location	979 Kaipara Coast Highway, Kaukapakapa
Rollover Designation	Yes
Legacy Reference	Designation 319, Auckland Council District Plan (Rodney Section) 2011
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4569 Kaukapakapa School

Designation Number	4569
Requiring Authority	Minister of Education
Location	979 Kaipara Coast Highway, Kaukapakapa
Rollover Designation	Yes
Legacy Reference	Designation 319, Auckland Council District Plan (Rodney Section) 2011
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4589 Waimauku School

Designation Number	4589
Requiring Authority	Minister of Education
Location	2 Muriwai Road, Waimauku
Rollover Designation	Yes
Legacy Reference	Designation 322, Auckland Council District Plan (Rodney Section) 2011
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4589 Waimauku School

Designation Number	4589
Requiring Authority	Minister of Education
Location	2 Muriwai Road, Waimauku
Rollover Designation	Yes
Legacy Reference	Designation 322, Auckland Council District Plan (Rodney Section) 2011
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4604 Flanshaw Road School

Designation Number	4604
Requiring Authority	Minister of Education
Location	51-61 Flanshaw Road, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME8, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4604 Flanshaw Road School

Designation Number	4604
Requiring Authority	Minister of Education
Location	51-61 Flanshaw Road, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME8, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4605 Freyberg Memorial School

Designation Number	4605
Requiring Authority	Minister of Education
Location	60 Roberts Road, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME9, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4605 Freyberg Memorial School

Designation Number	4605
Requiring Authority	Minister of Education
Location	60 Roberts Road, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME9, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4608 Glen Eden School

Designation Number	4608
Requiring Authority	Minister of Education
Location	3 Glenview Road, Glen Eden
Rollover Designation	Yes
Legacy Reference	Designation ME38, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place:
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4608 Glen Eden School

Designation Number	4608
Requiring Authority	Minister of Education
Location	3 Glenview Road, Glen Eden
Rollover Designation	Yes
Legacy Reference	Designation ME38, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4615 Henderson School

Designation Number	4615
Requiring Authority	Minister of Education
Location	11A Montel Avenue, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME18, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4615 Henderson School

Designation Number	4615
Requiring Authority	Minister of Education
Location	11A Montel Avenue, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME18, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4617 Henderson Valley School

Designation Number	4617
Requiring Authority	Minister of Education
Location	389 Henderson Valley Road, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME19, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4617 Henderson Valley School

Designation Number	4617
Requiring Authority	Minister of Education
Location	389 Henderson Valley Road, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME19, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4628 Massey Primary School

Designation Number	4628
Requiring Authority	Minister of Education
Location	326 Don Buck Road, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME30, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4628 Massey Primary School

Designation Number	4628
Requiring Authority	Minister of Education
Location	326 Don Buck Road, Henderson
Rollover Designation	Yes
Legacy Reference	Designation ME30, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4632 Oratia School

Designation Number	4632
Requiring Authority	Minister of Education
Location	552 West Coast Rd, Oratia
Rollover Designation	Yes
Legacy Reference	Designation ME34, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place:
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4632 Oratia School

Designation Number	4632
Requiring Authority	Minister of Education
Location	552 West Coast Rd, Oratia
Rollover Designation	Yes
Legacy Reference	Designation ME34, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4633 Piha School

Designation Number	4633
Requiring Authority	Minister of Education
Location	Garden Road, 42 Seaview Rd, Piha
Rollover Designation	Yes
Legacy Reference	Designation ME35, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4633 Piha School

Designation Number	4633
Requiring Authority	Minister of Education
Location	42 Seaview Rd,_Piha
Rollover Designation	Yes
Legacy Reference	Designation ME35, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4635 Hobsonville Point Primary School

Designation Number	4635
Requiring Authority	Minister of Education
Location	Buckley Avenue, 18 De Havilland Rd Hobsonville
Rollover Designation	Yes
Legacy Reference	Designation ME61, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. The designation shall lapse on the expiry of 15 years from the date on which it is included in the District Plan if it has not been given effect to before the end of that period.
- 2. The requiring authority shall, either directly or through the School Board of Trustees:
- i. Monitor school related vehicle traffic in the vicinity of the school once a year for a period of 3 years following the opening of the school.
- ii. Resource, develop, review and action a <u>Travel Plan</u> which:
- a. Sets the goals of the school with respect to sustainable travel modes and to mitigate real and potential adverse traffic effects;
- b. Seeks to minimise the provision of on-site car parking;
- c. Facilitates the integration of the school with the surrounding transport network (including issues of pedestrian and cyclist permeability into the <u>site</u>);
- d. Is maintained and updated annually while the school is operating under this designation.

This <u>Travel Plan</u> shall be developed in consultation with Auckland Council and Auckland Transport or their successors and shall be reviewed at the time of submitting each Outline Plan of Works relating to increased capacity.

- 3. The proposed development shall be subject to the following conditions regarding traffic and parking:
- a. For the primary school parking shall be provided on a staged basis at a rate of three parking spaces per two classrooms plus two per three staff members, unless the <u>Travel Plan</u> developed under Condition 2(ii) identifies that a lower level of parking provision can meet the demands for off street parking.
- b. For the early childhood education centre car parking shall be provided on a staged basis at a rate of one per four child places per session.
- c. Disabled and loading parking provisions shall be provided in accordance with the specifications provided in the Waitakere City Council Code of Practice (or its equivalent document) and in accordance with the minimum requirements stipulated in the Auckland Regional Parking Strategy 2009.
- iv. The design and layout of group car-parking areas and if required bus/vehicle passenger pick up and drop off areas shall be developed in consultation with [the appropriate Council officer].
- 4. All activities taking place at the school shall comply with the following noise levels measured at the most exposed location at or within the boundary of properties zoned for residential purposes:

- a. 7.00am-7.00pm Monday-Saturday = L10 50dBA
- b. 7.00pm-10.00pm Monday-Saturday 7.00am-10.00pm Sundays & Public Holidays = L10 45dBA
- c. 10.00pm-7.00pm Other times = L10 40dBA, LMax 70dBA

This provision shall not apply in respect of the noise generated from normal outdoor school activities between 0800hrs and 1800hrs (excluding Sundays and public holidays). Sound will be measured in accordance with the requirements of NZS 6801: 1991 'Acoustics - Measurement of Sound' and assessed in accordance with requirements of NZS 6802:1991'Assessment of Environmental Sound'.

- 5. In the event of archaeological evidence being uncovered (e.g. shell, middens, hangi or ovens, pit depressions, defensive ditched, artifactual material or human bones) work is to cease in the vicinity of the discovery, and an Archaeologist, Historic Places Trust and Auckland Council are to be contacted so that appropriate action can be taken before any work can recommence there.
- 6. All <u>buildings</u> and structures shall be designed in recognition of the matters listed in Condition (12) and shall comply with the following development controls: Site Coverage
- a. Maximum building coverage: 35%;
- b. Maximum impermeable surface coverage: 40%;
- c. Maximum building height adjoining Hobsonville Point Road: 15.0 metres; and
- d. Maximum buildings adjoining Eastern Avenue and other local streets: 12.0 metres.

<u>Height</u> excludes goal posts associated with sporting activities; chimneys/flues, flag poles and <u>aerials</u>.

- 7. The Requiring Authority shall submit with the first Outline Plan of Works a detailed landscape plan in respect of the whole school <u>site</u>. This plan shall include the following details:
- a. Planting and landscape works along the Eastern Avenue boundary:
- i. This shall comprise information regarding the location of planting, boundary treatments, the location of paths and <u>vehicle crossings</u> and the approved plan must align with existing or proposed landscape treatment within or along Eastern Avenue; and
- ii. This is to be developed in consultation with [the appropriate Council officer];
- b. The location of existing and proposed buildings;
- c. The surrounding street context: show the adjacent <u>streets</u>, footpaths, the location of any pedestrian crossings, and bus stops;
- d.. Contour information;
- e. Framework tree planting (species, grades and locations), and the location and planting (planting plans) for any garden areas, hedges;
- f. The articulation and identification of outdoor space, including outdoor play areas (both hard surfaces and grassed areas). Note: Outdoor space may be defined by a combination of buildings, trees, landform, fences/hedges or other feature;
- g. Vehicle access and parking areas including cycle parks;
- h. Entrances for cyclists and pedestrians; and
- i. The location, style and <u>height</u> of fencing on exterior boundaries of the school which face roads or other public spaces.
- 8. A plan detailing how the historic heritage values of the former air force runway will be recognised on the school <u>site</u>. The plan will be developed in consultation with the Historic Places Trust and Auckland Council or their successors and submitted with an Outline Plan of Work on the <u>site</u>.
- 9. The Requiring Authority shall submit with each subsequent Outline Plan of Works a

landscape plan which demonstrates how the additions continue to contribute to the matters identified in conditions (7) and (8) above.

- 10. All subsequent Outline Plan of Works submitted by the Requiring Authority in respect of the school <u>site</u> shall be accompanied by a statement that records the extent to which the design reflects or departs from the detailed landscape plan approved in Condition (7) above.
- 11. Prior to the opening of the school, the Requiring Authority shall construct separate vehicle access points to the primary school and early childhood education centre. These vehicle access points are to be gained from Eastern Avenue, and a separate visitor/staff car park area and service/loading area may be gained off Road 14. The location and design specifications shall be developed in consultation with [the appropriate Council officer] prior to the submission of an Outline Plan of Works.
- 12. Each Outline Plan of Works for built form shall be accompanied with an urban design statement detailing how the design has been developed in response to the following design principles, where they are applicable:
- a. The location of school <u>buildings</u> shall to the extent practicable contribute to the built form of any adjacent street with the placement of <u>buildings</u> with, and located as close as practicable, to adjacent street facing boundaries;
- b. All <u>buildings</u> facing the street, open space, and on-<u>site</u> car parking areas shall interact with these spaces with openings such as doors and windows to provide passive surveillance;
- c. The <u>height</u> of <u>buildings</u> at the intersection of Hobsonville Point <u>Road</u> and Eastern Avenue shall be maximised where possible, and shall be designed to address both street frontages;
- d. Where fencing on <u>road</u> boundaries is required it shall be low <u>height</u>, permeable and recessive in colour and design; and
- e. The school shall, to the extent practicable facilitate connectivity from the school <u>site</u> to the surrounding street and pedestrian networks.
- 13. Development of the <u>site</u> shall be undertaken in a way that recognises the principles of Low Impact Design <u>stormwater</u> management systems (as detailed in the relevant <u>Integrated Catchment Management Plan</u>) and incorporates measures to mitigate the impact of impervious surfaces and <u>earthworks</u>, utilising soils and vegetation to trap pollutants and reduce <u>stormwater runoff</u>. Details of the proposed Low Impact Design measures shall be submitted to the Council with the first and any subsequent Outline Plan of Works for development.
- 14. A sustainable water supply system shall be implemented. This shall include installing water re-use tanks for non-potable supply and the use of water efficient fixtures to minimise the amount of reticulated water supply required.

Attachments

4635 Hobsonville Point Primary School

Designation Number	4635
Requiring Authority	Minister of Education
Location	18 De Havilland Rd, Hobsonville
Rollover Designation	Yes
Legacy Reference	Designation ME61, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. The designation shall lapse on the expiry of 15 years from the date on which it is included in the District Plan if it has not been given effect to before the end of that period.
- 2. The requiring authority shall, either directly or through the School Board of Trustees:
- i. Monitor school related vehicle traffic in the vicinity of the school once a year for a period of 3 years following the opening of the school.
- ii. Resource, develop, review and action a <u>Travel Plan</u> which:
- a. Sets the goals of the school with respect to sustainable travel modes and to mitigate real and potential adverse traffic effects;
- b. Seeks to minimise the provision of on-site car parking;
- c. Facilitates the integration of the school with the surrounding transport network (including issues of pedestrian and cyclist permeability into the <u>site</u>);
- d. Is maintained and updated annually while the school is operating under this designation.

This <u>Travel Plan</u> shall be developed in consultation with Auckland Council and Auckland Transport or their successors and shall be reviewed at the time of submitting each Outline Plan of Works relating to increased capacity.

- 3. The proposed development shall be subject to the following conditions regarding traffic and parking:
- a. For the primary school parking shall be provided on a staged basis at a rate of three parking spaces per two classrooms plus two per three staff members, unless the <u>Travel Plan</u> developed under Condition 2(ii) identifies that a lower level of parking provision can meet the demands for off street parking.
- b. For the early childhood education centre car parking shall be provided on a staged basis at a rate of one per four child places per session.
- c. Disabled and loading parking provisions shall be provided in accordance with the specifications provided in the Waitakere City Council Code of Practice (or its equivalent document) and in accordance with the minimum requirements stipulated in the Auckland Regional Parking Strategy 2009.
- iv. The design and layout of group car-parking areas and if required bus/vehicle passenger pick up and drop off areas shall be developed in consultation with the appropriate Council officer].
- 4. All activities taking place at the school shall comply with the following noise levels measured at the most exposed location at or within the boundary of properties zoned for residential purposes:

- a. 7.00am-7.00pm Monday-Saturday = L10 50dBA
- b. 7.00pm-10.00pm Monday-Saturday 7.00am-10.00pm Sundays & Public Holidays = L10 45dBA
- c. 10.00pm-7.00pm Other times = L10 40dBA, LMax 70dBA

This provision shall not apply in respect of the noise generated from normal outdoor school activities between 0800hrs and 1800hrs (excluding Sundays and public holidays). Sound will be measured in accordance with the requirements of NZS 6801: 1991 'Acoustics - Measurement of Sound' and assessed in accordance with requirements of NZS 6802:1991'Assessment of Environmental Sound'.

- 5. In the event of archaeological evidence being uncovered (e.g. shell, middens, hangi or ovens, pit depressions, defensive ditched, artifactual material or human bones) work is to cease in the vicinity of the discovery, and an Archaeologist, Historic Places Trust and Auckland Council are to be contacted so that appropriate action can be taken before any work can recommence there.
- 6. All <u>buildings</u> and structures shall be designed in recognition of the matters listed in Condition (12) and shall comply with the following development controls: Site Coverage
- a. Maximum building coverage: 35%;
- b. Maximum impermeable surface coverage: 40%;
- c. Maximum building height adjoining Hobsonville Point Road: 15.0 metres; and
- d. Maximum buildings adjoining Eastern Avenue and other local streets: 12.0 metres.

<u>Height</u> excludes goal posts associated with sporting activities; chimneys/flues, flag poles and <u>aerials</u>.

- 7. The Requiring Authority shall submit with the first Outline Plan of Works a detailed landscape plan in respect of the whole school <u>site</u>. This plan shall include the following details:
- a. Planting and landscape works along the Eastern Avenue boundary:
- i. This shall comprise information regarding the location of planting, boundary treatments, the location of paths and <u>vehicle crossings</u> and the approved plan must align with existing or proposed landscape treatment within or along Eastern Avenue; and
- ii. This is to be developed in consultation with [the appropriate Council officer];
- b. The location of existing and proposed buildings;
- c. The surrounding street context: show the adjacent <u>streets</u>, footpaths, the location of any pedestrian crossings, and bus stops;
- d.. Contour information;
- e. Framework tree planting (species, grades and locations), and the location and planting (planting plans) for any garden areas, hedges;
- f. The articulation and identification of outdoor space, including outdoor play areas (both hard surfaces and grassed areas). Note: Outdoor space may be defined by a combination of <u>buildings</u>, trees, landform, fences/hedges or other feature;
- g. Vehicle access and parking areas including cycle parks;
- h. Entrances for cyclists and pedestrians; and
- i. The location, style and <u>height</u> of fencing on exterior boundaries of the school which face roads or other public spaces.
- 8. A plan detailing how the historic heritage values of the former air force runway will be recognised on the school <u>site</u>. The plan will be developed in consultation with the Historic Places Trust and Auckland Council or their successors and submitted with an Outline Plan of Work on the <u>site</u>.
- 9. The Requiring Authority shall submit with each subsequent Outline Plan of Works a

landscape plan which demonstrates how the additions continue to contribute to the matters identified in conditions (7) and (8) above.

- 10. All subsequent Outline Plan of Works submitted by the Requiring Authority in respect of the school <u>site</u> shall be accompanied by a statement that records the extent to which the design reflects or departs from the detailed landscape plan approved in Condition (7) above.
- 11. Prior to the opening of the school, the Requiring Authority shall construct separate vehicle access points to the primary school and early childhood education centre. These vehicle access points are to be gained from Eastern Avenue, and a separate visitor/staff car park area and service/loading area may be gained off Road 14. The location and design specifications shall be developed in consultation with [the appropriate Council officer] prior to the submission of an Outline Plan of Works.
- 12. Each Outline Plan of Works for built form shall be accompanied with an urban design statement detailing how the design has been developed in response to the following design principles, where they are applicable:
- a. The location of school <u>buildings</u> shall to the extent practicable contribute to the built form of any adjacent street with the placement of <u>buildings</u> with, and located as close as practicable, to adjacent street facing boundaries;
- b. All <u>buildings</u> facing the street, open space, and on-<u>site</u> car parking areas shall interact with these spaces with openings such as doors and windows to provide passive surveillance;
- c. The <u>height</u> of <u>buildings</u> at the intersection of Hobsonville Point <u>Road</u> and Eastern Avenue shall be maximised where possible, and shall be designed to address both street frontages;
- d. Where fencing on <u>road</u> boundaries is required it shall be low <u>height</u>, permeable and recessive in colour and design; and
- e. The school shall, to the extent practicable facilitate connectivity from the school <u>site</u> to the surrounding street and pedestrian networks.
- 13. Development of the <u>site</u> shall be undertaken in a way that recognises the principles of Low Impact Design <u>stormwater</u> management systems (as detailed in the relevant <u>Integrated Catchment Management Plan</u>) and incorporates measures to mitigate the impact of impervious surfaces and <u>earthworks</u>, utilising soils and vegetation to trap pollutants and reduce <u>stormwater runoff</u>. Details of the proposed Low Impact Design measures shall be submitted to the Council with the first and any subsequent Outline Plan of Works for development.
- 14. A sustainable water supply system shall be implemented. This shall include installing water re-use tanks for non-potable supply and the use of water efficient fixtures to minimise the amount of reticulated water supply required.

Attachments

4637 Prospect School

Designation Number	4637
Requiring Authority	Minister of Education
Location	58 Rosier Road, Glen Eden
Rollover Designation	Yes
Legacy Reference	Designation ME37, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4637 Prospect School

Designation Number	4637
Requiring Authority	Minister of Education
Location	58 Rosier Road, Glen Eden
Rollover Designation	Yes
Legacy Reference	Designation ME37, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4639 Ranui Campus

Designation Number	4639
Requiring Authority	Minister of Education
Location	92 Simpson Road, Ranui
Rollover Designation	Yes
Legacy Reference	Designation ME60, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8), <u>kura kaupapa Māori</u> (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. The designation shall lapse on the expiry of 10 years from the date on which it is included in the District Plan if it has not been given effect to before the end of that period.
- 2. The total student roll of the two schools and early childhood education centre shall not exceed 770 students.
- 3. All buildings and structures shall comply with the following development controls:
- a. The <u>height</u> of all <u>buildings</u> (excluding any goal posts associated with sporting activities) shall not exceed 8m except for assembly halls, recreational facilities, and cultural or performance facilities, which shall not exceed 10m.
- 4. The Requiring Authority, either directly or the School Board of Trustees, shall:
- a. Monitor school related traffic in the vicinity of the schools once a year for a period of 5 years following the opening of each school;
- b. Resource, develop, review and action a <u>Travel Plan</u> for the schools to set the standards and goals of the schools with respect to sustainable travel modes and to mitigate real and potential adverse traffic effects; and
- c. Limit the provision of on-<u>site</u> public car parking to a minimum. This condition will be achieved by working in partnership with Auckland Council and Auckland Transport to ensure the integration of the school with the surrounding transport network, including issues of pedestrian and cyclist permeability to the <u>site</u>.
- 5. All development shall be undertaken in accordance with the Geotechnical Report prepared by Babbage Consultants Ltd titled "Ranui School for Ministry of Education Geo-Environmental Assessment Report", ref: 43329, dated November 2007, and the review of this report prepared by GHD Limited titled "Geotechnical Peer Review, Notice of Requirement for the Ministry of Education, New Schools at Ranui, Waitakere City", dated 4 March 2008.
- 6. The Requiring Authority shall provide written confirmation from a Chartered Professional Engineer (with experience in geotechnics, and familiarity with the report and report review detailed in Condition 11 Condition 5 have been fully satisfied.
- 7. Development of the <u>site</u> shall adhere to a Low Impact
 Design <u>stormwater</u> management system that minimises impervious surfaces and <u>earthworks</u>, utilise soils and vegetation to trap pollutants and reduce <u>stormwater runoff</u>.

Attachments

4639 Ranui Campus

Designation Number	4639
Requiring Authority	Minister of Education
Location	92 Simpson Road, Ranui
Rollover Designation	Yes
Legacy Reference	Designation ME60, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8), <u>kura kaupapa Māori</u> (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. The designation shall lapse on the expiry of 10 years from the date on which it is included in the District Plan if it has not been given effect to before the end of that period.
- 2. The total student roll of the two schools and early childhood education centre shall not exceed 770 students.
- 3. All buildings and structures shall comply with the following development controls:
- a. The <u>height</u> of all <u>buildings</u> (excluding any goal posts associated with sporting activities) shall not exceed 8m except for assembly halls, recreational facilities, and cultural or performance facilities, which shall not exceed 10m.
- 4. The Requiring Authority, either directly or the School Board of Trustees, shall:
- a. Monitor school related traffic in the vicinity of the schools once a year for a period of 5 years following the opening of each school;
- b. Resource, develop, review and action a <u>Travel Plan</u> for the schools to set the standards and goals of the schools with respect to sustainable travel modes and to mitigate real and potential adverse traffic effects; and
- c. Limit the provision of on-<u>site</u> public car parking to a minimum. This condition will be achieved by working in partnership with Auckland Council and Auckland Transport to ensure the integration of the school with the surrounding transport network, including issues of pedestrian and cyclist permeability to the <u>site</u>.
- 5. All development shall be undertaken in accordance with the Geotechnical Report prepared by Babbage Consultants Ltd titled "Ranui School for Ministry of Education Geo-Environmental Assessment Report", ref: 43329, dated November 2007, and the review of this report prepared by GHD Limited titled "Geotechnical Peer Review, Notice of Requirement for the Ministry of Education, New Schools at Ranui, Waitakere City", dated 4 March 2008.
- 6. The Requiring Authority shall provide written confirmation from a Chartered Professional Engineer (with experience in geotechnics, and familiarity with the report and report review detailed in Condition 5_have been fully satisfied.
- 7. Development of the <u>site</u> shall adhere to a Low Impact
 Design <u>stormwater</u> management system that minimises impervious surfaces and <u>earthworks</u>, utilise soils and vegetation to trap pollutants and reduce <u>stormwater runoff</u>.

Attachments

4640 Ranui School

Designation Number	4640
Requiring Authority	Minister of Education
Location	1/16A Ranui Station Road, Ranui
Rollover Designation	Yes
Legacy Reference	Designation ME41, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4640 Ranui School

Designation Number	4640
Requiring Authority	Minister of Education
Location	1/16A Ranui Station Road, Ranui
Rollover Designation	Yes
Legacy Reference	Designation ME41, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4642 Rutherford College

Designation Number	4642
Requiring Authority	Minister of Education
Location	18 Kotuku Street, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME43, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4642 Rutherford College

Designation Number	4642
Requiring Authority	Minister of Education
Location	18 Kotuku Street, Te Atatu
Rollover Designation	Yes
Legacy Reference	Designation ME43, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4652 Titirangi School

Designation Number	4652
Requiring Authority	Minister of Education
Purpose of Designation	Educational Purposes - Primary School (years 0 - 8)
Location	1-7 Kohu Road, Titirangi
Rollover Designation	Yes
Legacy Reference	Designation ME52, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4652 Titirangi School

Designation Number	4652
Requiring Authority	Minister of Education
Purpose of Designation	Educational Purposes - Primary School (years 0 - 8)
Location	1-7 Kohu Road, Titirangi
Rollover Designation	Yes
Legacy Reference	Designation ME52, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4655 West Harbour School

Designation Number	4655
Requiring Authority	Minister of Education
Location	74 Oreil Avenue, Massey
Rollover Designation	Yes
Legacy Reference	Designation ME55, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4655 West Harbour School

Designation Number	4655
Requiring Authority	Minister of Education
Location	74 Oreil Avenue, Massey
Rollover Designation	Yes
Legacy Reference	Designation ME55, Auckland Council District Plan (Waitakere Section) 2003
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

Central

4701 Auckland Girls' Grammar School

Designation Number	4701
Requiring Authority	Minister of Education
Location	14-16 Howe Street, Freemans Bay
Rollover Designation	Yes
Legacy Reference	Designation C07-13, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4701 Auckland Girls' Grammar School

Designation Number	4701
Requiring Authority	Minister of Education
Location	14-16 Howe Street, Freemans Bay
Rollover Designation	Yes
Legacy Reference	Designation C07-13, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4702 Auckland Grammar

Designation Number	4702
Requiring Authority	Minister of Education
Location	55-85 Mountain Road, Epsom
Rollover Designation	Yes
Legacy Reference	Designation D08-26, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include residential accommodation for students

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The columnar basalt feature in the old quarry face which is scheduled in the District Plan shall not be excavated, physically investigated, damaged, or altered other than in accordance with an Outline Plan of Works submitted and processed in terms of Section 176A of the Resource Management Act 1991.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4702 Auckland Grammar

Designation Number	4702
Requiring Authority	Minister of Education
Location	55-85 Mountain Road, Epsom
Rollover Designation	Yes
Legacy Reference	Designation D08-26, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include residential accommodation for students

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The columnar basalt feature in the old quarry face which is scheduled in the District Plan shall not be excavated, physically investigated, damaged, or altered other than in accordance with an Outline Plan of Works submitted and processed in terms of Section 176A of the Resource Management Act 1991.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4703 Auckland Normal Intermediate

Designation Number	4703
Requiring Authority	Minister of Education
Location	74 Epsom Avenue, Epsom
Rollover Designation	Yes
Legacy Reference	Designation E08-36, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4703 Auckland Normal Intermediate

Designation Number	4703
Requiring Authority	Minister of Education
Location	74 Epsom Avenue, Epsom
Rollover Designation	Yes
Legacy Reference	Designation E08-36, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4704 Avondale College

Designation Number	4704
Requiring Authority	Minister of Education
Location	47-61 Victor Street, Avondale
Rollover Designation	Yes
Legacy Reference	Designation E03-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13)

Education Purposes - secondary school (years 7 - 13), intermediate school (years 7 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. If the dwelling existing on the Lot 1 DP 159809 in January 2004 is removed, a landscaping strip with a minimum width of 2m shall be established along the length of eastern boundary of this <u>site</u>. If condition 5 above has already been given effect to an additional 1m of landscaping shall be established along the length of the eastern boundary.
- 2. If the dwelling existing on the Lot 8 DP 50025 in January 2004 is removed, a landscaping strip with a minimum width of 2m shall be established along the length of the north western boundary of this <u>site</u>.
- 3. A 3m front <u>yard</u> is required on each of the above sites. If any of the <u>dwellings</u> existing on these sites in January 2004 are removed a minimum of 50% of the front <u>yard</u> of the relevant <u>site(s)</u> shall be landscaped and maintained in such a manner as to create and preserve a good standard of visual amenity.

Attachments

4704 Avondale College

Designation Number	4704
Requiring Authority	Minister of Education
Location	47-61 Victor Street, Avondale
Rollover Designation	Yes
Legacy Reference	Designation E03-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Education Purposes - secondary school (years 7 - 13), intermediate school (years 7 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. If the dwelling existing on the Lot 1 DP 159809 in January 2004 is removed, a landscaping strip with a minimum width of 2m shall be established along the length of eastern boundary of this <u>site</u>. If condition 5 above has already been given effect to an additional 1m of landscaping shall be established along the length of the eastern boundary.
- 2. If the dwelling existing on the Lot 8 DP 50025 in January 2004 is removed, a landscaping strip with a minimum width of 2m shall be established along the length of the north western boundary of this <u>site</u>.
- 3. A 3m front <u>yard</u> is required on each of the above sites. If any of the <u>dwellings</u> existing on these sites in January 2004 are removed a minimum of 50% of the front <u>yard</u> of the relevant <u>site(s)</u> shall be landscaped and maintained in such a manner as to create and preserve a good standard of visual amenity.

Attachments

4716 Education Department Activity Centre

Designation Number	4716
Requiring Authority	Minister of Education
Location	10 Beatty Street, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation J14-11, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes.

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place:</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4716 Education Department Activity Centre

Designation Number	4716
Requiring Authority	Minister of Education
Location	10 Beatty Street, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation J14-11, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes.

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4725 Glen Taylor School

Designation Number	4725
Requiring Authority	Minister of Education
Location	172 West Tamaki Road, Glendowie
Rollover Designation	Yes
Legacy Reference	Designation D15-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4725 Glen Taylor School

Designation Number	4725
Requiring Authority	Minister of Education
Location	172 West Tamaki Road, Glendowie
Rollover Designation	Yes
Legacy Reference	Designation D15-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4726 Glenavon School

Designation Number	4726
Requiring Authority	Minister of Education
Location	340 Blockhouse Bay Road, Avondale
Rollover Designation	Yes
Legacy Reference	Designation G04-01, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4726 Glenavon School

Designation Number	4726
Requiring Authority	Minister of Education
Location	340 Blockhouse Bay Road, Avondale
Rollover Designation	Yes
Legacy Reference	Designation G04-01, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4747 Mt Roskill Primary, Intermediate and Grammar School

Designation Number	4747
Requiring Authority	Minister of Education
Location	37-65 Frost Road, Mt Roskill
Rollover Designation	Yes
Legacy Reference	Designation G07-01, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) Education Purposes - primary school (years 0-8), intermediate school (years 7 - 8) secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4747 Mt Roskill Primary, Intermediate and Grammar School

Designation Number	4747
Requiring Authority	Minister of Education
Location	37-65 Frost Road, Mt Roskill
Rollover Designation	Yes
Legacy Reference	Designation G07-01, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Education Purposes - primary school (years 0-8), intermediate school (years 7 - 8) secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4773 Richmond Road School

Designation Number	4773
Requiring Authority	Minister of Education
Location	113-127 Richmond Road, Ponsonby
Rollover Designation	Yes
Legacy Reference	Designation C07-12, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4773 Richmond Road School

Designation Number	4773
Requiring Authority	Minister of Education
Location	113-127 Richmond Road, Ponsonby
Rollover Designation	Yes
Legacy Reference	Designation C07-12, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4790 Three Kings School

Designation Number	4790
Requiring Authority	Minister of Education
Location	944 Mount Eden Road, Three Kings
Rollover Designation	Yes
legacy Reference	Designation G08-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) <u>and may include Early Childhood</u> <u>Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4790 Three Kings School

Designation Number	4790
Requiring Authority	Minister of Education
Location	944 Mount Eden Road, Three Kings
Rollover Designation	Yes
legacy Reference	Designation G08-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4734 Kohia Terrace School

Designation Number	4734
Requiring Authority	Minister of Education
Location	74 Epsom Avenue, Epsom
Rollover Designation	Yes
Legacy Reference	Designation E09-51, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place:</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4734 Kohia Terrace School

Designation Number	4734
Requiring Authority	Minister of Education
Location	74 Epsom Avenue, Epsom
Rollover Designation	Yes
Legacy Reference	Designation E09-51, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4743 Mt Albert Grammar School

Designation Number	4743
Requiring Authority	Minister of Education
Location	30-40 Alberton Avenue, Mt Albert
Rollover Designation	Yes
Legacy Reference	Designation E05-24, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include residential accommodation for students.

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic</u> heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4743 Mt Albert Grammar School

Designation Number	4743
Requiring Authority	Minister of Education
Location	30-40 Alberton Avenue, Mt Albert
Rollover Designation	Yes
Legacy Reference	Designation E05-24, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include residential accommodation for students.

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4745 Mt Eden Normal School

Designation Number	4745
Requiring Authority	Minister of Education
Location	73 Valley Road, Mount Eden
Rollover Designation	Yes
Legacy Reference	Designation D08-27, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic</u> heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4745 Mt Eden Normal School

Designation Number	4745
Requiring Authority	Minister of Education
Location	73 Valley Road, Mount Eden
Rollover Designation	Yes
Legacy Reference	Designation D08-27, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4756 Otahuhu College

Designation Number	4756
Requiring Authority	Minister of Education
Location	74 Mangere Road, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation J13-07, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The Robertson Hill scoria cone feature which is scheduled in the District Plan shall not be excavated physically investigated, damaged, or altered other than in accordance with an Outline Plan of Works submitted and processed in terms of Section 176A of the Resource Management Act 1991.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. <u>an assessment of the effects on the historic heritage values of the scheduled historic heritage place;</u>
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4756 Otahuhu College

Designation Number	4756
Requiring Authority	Minister of Education
Location	74 Mangere Road, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation J13-07, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The Robertson Hill scoria cone feature which is scheduled in the District Plan shall not be excavated physically investigated, damaged, or altered other than in accordance with an Outline Plan of Works submitted and processed in terms of Section 176A of the Resource Management Act 1991.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4758 Otahuhu School

Designation Number	4758
Requiring Authority	Minister of Education
Location	41 Station Road, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation I13-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4758 Otahuhu School

Designation Number	4758
Requiring Authority	Minister of Education
Location	41 Station Road, Otahuhu
Rollover Designation	Yes
Legacy Reference	Designation I13-04, Auckland Council District Plan (Isthmus Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

South

4903 Aorere College

Designation Number	4903
Requiring Authority	Minister of Education
Location	8 Selfs Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 2, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

- 1. In the event that Aorere College is within the Auckland International Airport Moderate Aircraft Noise Area (MANA), the following condition applies: 1(A). The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air, and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

(c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.

1(B). Where Condition 1(A) requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1(A) where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clause (a) of this condition (Condition 1A), above, has been provided to the Council.

Attachments

4903 Aorere College

Designation Number	4903
Requiring Authority	Minister of Education
Location	8 Selfs Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 2, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

- 1. In the event that Aorere College is within the Auckland International Airport Moderate Aircraft Noise Area (MANA), the following condition applies: 1(A). The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air, and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either:
- (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 *Ventilation for Acceptable Indoor Air Quality*; and creating no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or;
- (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 *Ventilation for Acceptable Indoor Air Quality*.
- 1(B). Where Condition 1(A) requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1(A) where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clause (a) of this condition (Condition 1A), above, has been provided to the Council.

Attachments

4912 Chapel Downs School

Designation Number	4912
Requiring Authority	Minister of Education
Location	170 Dawson Road, Flat Bush
Rollover Designation	Yes
Legacy Reference	Designation 12, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations: (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA; (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

(c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leq 35dBZ

in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.

2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4912 Chapel Downs School

Designation Number	4912
Requiring Authority	Minister of Education
Location	170 Dawson Road, Flat Bush
Rollover Designation	Yes
Legacy Reference	Designation 12, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leg 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leg 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4936 James Cook High School

Designation Number	4936
Requiring Authority	Minister of Education
Location	18 Dr Pickering Avenue, Manurewa
Rollover Designation	Yes
Legacy Reference	Designation 37, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - Primary Secondary school (years 0 - 87 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4936 James Cook High School

Designation Number	4936
Requiring Authority	Minister of Education
Location	18 Dr Pickering Avenue, Manurewa
Rollover Designation	Yes
Legacy Reference	Designation 37, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - Secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4940 Kia Aroha College

Designation Number	4940
Requiring Authority	Minister of Education
Location	51 Othello Drive, Wiri
Rollover Designation	Yes
Legacy Reference	Designation 16, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations: (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA; (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

(c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leq 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.

2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4940 Kia Aroha College

Designation Number	4940
Requiring Authority	Minister of Education
Location	51 Othello Drive, Wiri
Rollover Designation	Yes
Legacy Reference	Designation 16, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations: (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA; (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leg 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leg 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leg 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4950 Southern Cross Campus & Te Kura Maori o Nga Tapuwae

Designation Number	4950
Requiring Authority	Minister of Education
Location	253 Buckland Road, Mangere
Rollover Designation	Yes
Legacy Reference	Designations 49 and 60, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4950 Southern Cross Campus & Te Kura Maori o Nga Tapuwae

Designation Number	4950
Requiring Authority	Minister of Education
Location	253 Buckland Road, Mangere
Rollover Designation	Yes
Legacy Reference	Designations 49 and 60, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4953 Manurewa High School

Designation Number	4953
Requiring Authority	Minister of Education
Location	61 and 67 Browns Road, Manurewa
Rollover Designation	Yes
Legacy Reference	Designation 54, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - $\frac{13}{2}$ and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4953 Manurewa High School

Designation Number	4953
Requiring Authority	Minister of Education
Location	61 and 67 Browns Road, Manurewa
Rollover Designation	Yes
Legacy Reference	Designation 54, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4965 Pakuranga College

Designation Number	4965
Requiring Authority	Minister of Education
Location	500 Pakuranga Road, Highland Park
Rollover Designation	Yes
Legacy Reference	Designation 64, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - $\frac{13)}{100}$ and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- b. <u>a consideration of alternative methods and/or appropriate mitigation to prevent or avoid</u> damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to</u> enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4965 Pakuranga College

Designation Number	1965	
Requiring Authority	Minister of Education	
Location	500 Pakuranga Road, Highland Park	
Rollover Designation	Yes	
Legacy Reference	Designation 64, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes – secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4968 Papatoetoe Central School

Designation Number	968	
Requiring Authority	linister of Education	
Location	317 Great South Road, Papatoetoe	
Rollover Designation	Yes	
Legacy Reference	Designation 73, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place:
- b. <u>a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;</u>
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4968 Papatoetoe Central School

Designation Number	968	
Requiring Authority	linister of Education	
Location	317 Great South Road, Papatoetoe	
Rollover Designation	Yes	
Legacy Reference	Designation 73, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. An assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- b. a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect of repair or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4973 Papatoetoe South School

Designation Number	1973	
Requiring Authority	Minister of Education	
Location	58 Milan Road, Papatoetoe	
Rollover Designation	Yes	
Legacy Reference	Designation 70, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either:
- (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leg 35dBZ in each hall, and no more than Leg 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leg 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4973 Papatoetoe South School

Designation Number	1973	
Requiring Authority	Minister of Education	
Location	58 Milan Road, Papatoetoe	
Rollover Designation	Yes	
Legacy Reference	Designation 70, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leg 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

4973 Papatoetoe South School

Designation Number	1973	
Requiring Authority	Minister of Education	
Location	58 Milan Road, Papatoetoe	
Rollover Designation	Yes	
Legacy Reference	Designation 70, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either:
- (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leg 35dBZ in each hall, and no more than Leg 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leg 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall: (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in sub-clause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4980 Puhinui School

Designation Number	4980
Requiring Authority	Minister of Education
Location	116 Puhinui Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 80, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

(c) in the case of halls either: (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: - providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and - creating no more than Leq 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser. or; (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leg 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.

- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall:
- (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and
- (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4980 Puhinui School

Designation Number	4980
Requiring Authority	Minister of Education
Location	116 Puhinui Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 80, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either:
- (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and creating no more than Leq 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser or;
- (ii) Air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 *Ventilation for Acceptable Indoor Air Quality*.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall:
- (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and
- (b) Not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4982 Redoubt North School

Designation Number	4982	
Requiring Authority	Minister of Education	
Location	47 Diorella Drive, Manukau	
Rollover Designation	Yes	
Legacy Reference	Designation 81, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leq 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

(c) in the case of halls either:

(i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and
windows of the hall closed; - enabling the outdoor airflow to be controlled across the range, from
the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the
maximum number of occupants able to be accommodated in the hall at one time; otherwise
complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air
Quality; and - creating no more than Leq 35dBZ in each hall, and no more than Leq 40dBA in
any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least
1 metre away from any diffuser or;

(ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality.

- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall:
- (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and
- (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4982 Redoubt North School

Designation Number	982	
Requiring Authority	linister of Education	
Location	47 Diorella Drive, Manukau	
Rollover Designation	Yes	
Legacy Reference	Designation 81, Auckland Council District Plan (Manukau Section) 2002	
Lapse Date	Given effect to (i.e. no lapse date)	

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

- 1. The following acoustic and related treatment measures shall be installed in any new or relocated classrooms, libraries or halls or in any classrooms, libraries or halls that are the subject of additions or alterations:
- (a) Acoustic insulation and related ventilation and/or air conditioning systems to achieve an internal acoustic environment in each classroom, library and hall (with all external doors and windows of the classrooms, libraries and halls closed) of Ldn 40dBA;
- (b) In the case of classrooms and libraries, air conditioning and/or mechanical ventilation systems for each classroom and library, that are: - designed to achieve indoor air temperatures not less than 16 degrees Celsius in winter and not greater than 27 degrees Celsius in summer at 5% ambient design conditions as published by the National Institute of Water and Atmospheric Research ("NIWA") (NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000); and - capable of providing outdoor air ventilation at the rate of 8 litres of air per second per person for the maximum number of people able to be accommodated in any such room at one time ("the required airflow"); - capable of enabling, (in the case of classrooms or libraries in which only mechanical ventilation systems are used to satisfy the above temperature and outdoor air requirements), the outdoor airflow to be controlled across the range, from the maximum airflow capacity down to the required airflow when all external doors and windows of the classroom or library are closed; - otherwise complying with the New Zealand Standard NZS 4303:1990 Ventilation for Acceptable Indoor Air; and - capable of creating no more than Leg 35dBA in each classroom, no more than Leq 40dBA in each library, and no more than Leq dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser.

- (c) in the case of halls either:
- (i) a mechanical ventilation system or mechanical ventilation systems for each hall capable of: providing at least 12 litres of outdoor air per second per square metre with all external doors and windows of the hall closed; enabling the outdoor airflow to be controlled across the range, from the maximum airflow down to the rate of 8 litres of outdoor air per second per person for the maximum number of occupants able to be accommodated in the hall at one time; otherwise complying with the New Zealand Standard NZS 4303: 1990 Ventilation for Acceptable Indoor Air Quality; and creating no more than Leq 35dBZ in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from any diffuser or;
- (ii) air conditioning plus mechanical outdoor air ventilation designed to provide 8 litres per second per person of outdoor air, and internal air temperatures in each hall not greater than 27 degrees Celsius at 5% ambient design conditions as published by the National Institute of Water & Atmospheric Research ("NIWA")(NIWA, Design Temperatures for Air Conditioning (degrees Celsius), Data Period 1991-2000). The mechanical system shall create no more than Leq 35dBA in each hall, and no more than Leq 40dBA in any hallway or corridor. Noise levels from the mechanical system(s) shall be measured at least 1 metre away from the diffuser. These systems shall otherwise comply with the New Zealand Standard NZS 4303: 1990 *Ventilation for Acceptable Indoor Air Quality*.
- 2. Where Condition 1 requires the Minister to install acoustic treatment and related ventilation measures the Minister shall obtain a certificate from a suitably qualified independent person (or persons) nominated by the Minister and approved by the Council ("an approved person"), certifying that the proposed acoustic treatment and related ventilation measures are sufficient to achieve the internal acoustic environment and ventilation requirements specified in this condition, and where the Minister installs any acoustic treatment and or ventilation or air conditioning measures, the Minister shall:
- (a) provide the Council with a certificate from an approved person that the installation has been property undertaken in accordance with sound practice; and
- (b) not be in breach of Condition 1 where the internal noise standards and related ventilation requirements are not met in each instance provided the relevant certificate required in subclause (a) of this condition (Condition 1), above, has been provided to the Council.

Attachments

4968 Papatoetoe Central School

Designation Number	4968
Requiring Authority	Minister of Education
Location	317 Great South Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 73, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation. Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. <u>an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and</u>
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4968 Papatoetoe Central School

Designation Number	4968
Requiring Authority	Minister of Education
Location	317 Great South Road, Papatoetoe
Rollover Designation	Yes
Legacy Reference	Designation 73, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation. Where any construction works for a project involve total or substantial demolition of, or modifications to, a scheduled historic heritage place, any outline plan that is required shall incorporate:

- a. an assessment of the effects on the historic heritage values of the scheduled historic heritage place;
- a consideration of alternative methods and/or appropriate mitigation to prevent or avoid damage, loss or destruction of the values of the scheduled historic heritage place;
- c. an analysis of the extent to which the construction works are required or desirable to enable educational activities to be carried out; and
- d. An assessment of the extent to which the construction works are necessary to address safety concerns and/or the extent to which the costs associated with overcoming safety concerns offset the values associated with the scheduled historic heritage place.

This condition shall not apply in respect or maintenance of the scheduled historic heritage place.

This condition shall not apply where there is a conservation plan or similar plan for the management of the scheduled historic heritage place and the proposed construction works are in accordance with this conservation or similar plan.

Attachments

4991 Sir Edmund Hillary Collegiate Senior School

Designation Number	4991
Requiring Authority	Minister of Education
Location	2 Franklyne Road, Otara
Rollover Designation	Yes
Legacy Reference	Designation 30, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) <u>and may include Early Childhood Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4991 Sir Edmund Hillary Collegiate Senior School

Designation Number	4991
Requiring Authority	Minister of Education
Location	2 Franklyne Road, Otara
Rollover Designation	Yes
Legacy Reference	Designation 30, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4992 Sir Keith Park School

Designation Number	4992
Requiring Authority	Minister of Education
Location	33 Robertson Road, Mangere
Rollover Designation	Yes
Legacy Reference	Designation 89, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - primary school (years 0 - 8) and may include early childhood education (preschool) Special School (years 0 - 13)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4992 Sir Keith Park School

Designation Number	4992
Requiring Authority	Minister of Education
Location	33 Robertson Road, Mangere
Rollover Designation	Yes
Legacy Reference	Designation 89, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - Special School (years 0 - 13)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

4998 Te Kura Kaupapa Māori o Māngere

Designation Number	4998
Requiring Authority	Minister of Education
Location	7 Comet Crescent, Mangere
Rollover Designation	Yes
Legacy Reference	Designation 3, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - <u>kura kaupapa Māori</u> (years 0 - 13) <u>and may include Early Childhood Education (pre-school)</u>

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

4998 Te Kura Kaupapa Māori o Māngere

Designation Number	4998
Requiring Authority	Minister of Education
Location	7 Comet Crescent, Mangere
Rollover Designation	Yes
Legacy Reference	Designation 3, Auckland Council District Plan (Manukau Section) 2002
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - <u>kura kaupapa Māori</u> (years 0 - 13) and may include Early Childhood Education (pre-school)

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

5021 Papakura High School

Designation Number	5021
Requiring Authority	Minister of Education
Location	3 Willis Road, Papakura
Rollover Designation	Yes
Legacy Reference	Designation 22, Auckland Council District Plan (Papakura Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - intermediate school (years 7-8) secondary school (years 7 – 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

5021 Papakura High School

Designation Number	5021
Requiring Authority	Minister of Education
Location	3 Willis Road, Papakura
Rollover Designation	Yes
Legacy Reference	Designation 22, Auckland Council District Plan (Papakura Section) 1999
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7 - 13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

5049 Pukekohe High School

Designation Number	5049
Requiring Authority	Minister of Education
Location	14 Harris Street, Pukekohe
Rollover Designation	Yes
Legacy Reference	Designation 67, Auckland Council District Plan (Franklin Section) 2000
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - $\frac{13}{2}$ and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments

No attachments.

5049 Pukekohe High School

Designation Number	5049
Requiring Authority	Minister of Education
Location	14 Harris Street, Pukekohe
Rollover Designation	Yes
Legacy Reference	Designation 67, Auckland Council District Plan (Franklin Section) 2000
Lapse Date	Given effect to (i.e. no lapse date)

Purpose

Educational purposes - secondary school (years 7-13) and may include early childhood education (preschool).

Conditions

The standard conditions for all Minister of Education designations apply to this designation.

Attachments